



TABLE OF CONTENTS

TROLLING REELS	3
SPINNING REELS	10
RODS	19
ACCESSORIES	39



This icon indicates an adjustable (16 different casting settings) magnetic brake is built in to the reel. The magnetic brake system allows you to instantly adjust the braking effect on the spool using the turn dial. Turn clockwise and the brake effect is increased by moving the magnets closer to the spool. Turn anti-clockwise and the magnets move away from the spool reducing braking and speeding up the spool for long range casting. The only current reel in the Penn program with an adjustable magnetic brake is the MAG2 series.



This icon indicates the reel is designed for use with braid lines. Braided lines, unlike mono, have no stretch resulting in greater direct reel pressures. For that reason not every reel on the market is suitable for use with braided lines. The braid ready icon indicates a Penn reel specifically designed for use with braided lines.



Penn Dura-Drag™ was developed in a joint effort between Penn engineers and a leading US Auto Manufacturer supplier, and is based on the same material used in the transmissions of high-performance racing cars. Dura-Drag™ is tough and durable. It endures frequent and heavy use, plus can withstand the high levels of heat generated during big game battles. Dura-Drag™ is pre-treated with a special formula developed by Penn Engineers through extensive testing and research. The combination of new drag material and special formula gives anglers the toughest, smoothest, longest-lasting drag ever developed – a drag so revolutionary it has been trademarked Dura-Drag™. Scientific tests prove that new Penn Dura-Drag™ performance is unsurpassed. After 30 hours of drag pressure in controlled testing, Penn Dura-Drag™ looked and performed as if it were brand new, right out of its packaging, while competitive drags showed obvious signs of wear. In terms of performance and smoothness, both light-tackle and big-game anglers will greatly appreciate the lack of an initial surge in drag-pressure, common in other drag materials. Smoother start-ups without any hesitation, and more consistent drag pressures translate into fewer pulled hooks ensuring broken lines will quickly become a thing of the past. According to our field testers, this is by far the finest and smoothest drag they have ever fished.



When you see this icon, the body of the conventional or spinning reel incorporates a metal body, and in the case of conventional reels also metal side plates. This ensures precise gear alignment under heavy retrieve loads.



The Infinite Anti Reverse icon stands for the elimination of back play on the rotor when instantly setting the hook. This effect is created by adding a one way bearing in the reel. All of Penn's spinning reels are delivered with IAR, as are most of the conventional reels.



This icon, displayed on the packaging or website, indicates a reel with perfect oscillation to give an extremely even line lay. This icon relates to the Spinfisher, Atlantis and Slammer reel series.



Rigid Resin 30 - built with 30% carbon fiber our new Rigid Resin material is the perfect combination of strength and weight. Rigid like a metal...light as carbon fiber.



HT-100 is a carbon fiber fabric that's laminated on fiberglass to provide stiffness in large sheets, then cut into strips. The name HT-100 is derived as follows; "HT" stands for High Tech, and the "100" signifies that, during original testing, the equivalent of 100 miles of fishing line was taken against the drag of a reel with no significant change to the drag washers. Inferior washers would not have lasted 20% of that time. During a long run by a large, powerful fish taking a significant amount of line, as the line level on the spool decreases the pressure required for a standard drag to give line increases. One of the biggest benefits from HT-100 carbon fiber material is that the friction decreases as it becomes hot helping maintain a smooth drag even as the spool line level falls. Since the introduction of HT-100, almost every other reel manufacturer is now using some form of carbon fiber drag washers. Penn's Dura-drag material is another variation of the original material.



This icon shows that this spool is suitable for use with Berkley Superlines. The difference between standard spools and Superline spools is that the Superline version is fitted with a rubber gasket in the middle that prevents the Superline from slipping under pressure. These spools are available on the Atlantis and Battle reels.



This indicates switchblade harness lugs are fitted to a conventional reel. These fit flush in the tops of the reel side-plates when not required, but are easily flipped up to position with the tip of your finger when securing the reel to a shoulder harness. This feature is available on the TRQ 2G and the Squall LD.



Penn's Techno-Balanced™ rotor is designed to ensure a very smooth retrieve. Except for the TRQ spinning reel, all the spinning reels in the program have this feature.



The Ultimate Adjustable Clicker is only available on the International V series and provides the widest range of bait clicker settings ever, just by turning the knob.



The Versa-Drag™ is a patented drag system with HT-100 washers. This allows the angler to pre-determine a targeted drag range by rearranging the sequence of keyed metal washers and tabbed friction washers. The Penn Versa-Drag™ provides a tremendous drag range regardless of what line-class and drag settings you are fishing. You can see below what each setting does. This great feature is unique to Penn and available on the TRQ LD, TRQ SD, Fathom, Squall SD, and GS Performance reels.



Gear box and drag system are sealed to keep out water and other elements




Extreme range, endless adjustment, and a large diameter drag knob so you can easily crank down to max drag



The Live Liner ® system was built for fishing livebait. Simply pull the switch back and the front drag disengages and runs off the rear drag.



The CNC Gear™ is machined from premium metals which provide a durable yet smooth gear train created by the precision of CNC technology.



This icon identifies a reel with the visible sides of the spool clearly marked with line capacity indicator rings. These rings are marked at 1/3, 2/3 and full line capacity. This new feature is only found on newly introduced reels such as the Squall, TRQ 2G, MAG2 and Fathom series.



A Live Spindle is a unique feature! Both the spool and spindle rotate independently from the drive train and frame. This minimizes friction as the spool revolves during free spool, plus eliminates binding during heavy retrieve. This high performance feature is found on some of our new reels like the MAG2, TRQ2G, Squall LD and the Fathom SD.



This feature eliminates any accidental changes to the drag settings. You simply set the drag in the chosen position, then turn the button on the drag handle to secure that setting. This feature is found on the Internationals and TRQ reels.



The Quick Shift™ system is a specially designed 2-speed system that switches easily into high or low gear. This feature is available on the 2-speed version of the Internationals, GS Performance and the Graph Lite LD.



Versa handle system allows the angler to choose how long the handle should be in less than a minute, tools are included with each reel



Gear box and drag system are fully sealed to protect water intrusion



TROLLING REELS



1151028



1151040



1

International V - VSX

Designed to maximise the direct power of modern high performance braid lines, the Penn International VSX 2-speed reels feature a full metal body and side-plates to retain perfect alignment under maximum load. The ultra smooth but extremely powerful lever drag system incorporating Dura Drag washers ensures a smooth delivery of line on demand, even when set heavy, with the smallest 12VSX reel capable of applying an astonishing 36lbs of drag pressure. The drag is also ratcheted to prevent drag creep when constantly trolling. The Quick-Shift 2-speeder change is instantly finger tip controlled, with the lower option there to put maximum pressure on big fish at depth. But with strategically positioned shielded stainless steel ball-bearings in place, even under heavy pressure, the retrieve is smooth and powerful. Penn's long heritage and expertise has produced a reel for record breakers, and includes the 12VSX and 16VSX models ideal for many European and UK situations.

- Ratcheted drag lever prevents "drag creep" caused by hours of trolling and vibrations
- Stainless steel reel stand
- 130VSX has titanium handle blank
- Ratcheted lever prevents 'Drag creep' caused by hours of trolling and vibrations

- Dura-drag washers virtually eliminate hesitation, even under extreme drag settings
- 4 Shielded stainless steel ball bearings, 6 on 130 size
- Braid Ready to handle the strain that braided lines put on a reel
- Ultimate adjustable clicker available on 12VSX only



S.A.P	U.P.C	BARCODE		0 1 2 m/mm	RATIO		g	MAX DRAG kg	SHOP	R.R.P
1187309	031324201453		INTERNATIONAL V-12VSX	329 / 0,56	5,0:1 / 2,5:1	19" / 482 mm - 38" / 965 mm	935	36 / 16,3		
1151028	031324001626		INTERNATIONAL V-16VSX	982 / 0,39	4,3:1 / 1:7,1	15" / 381 mm - 36" / 914 mm	1162	42 / 19		
1151031	031324003156		INTERNATIONAL V-30VSX	480 / 0,56	3,8:1 / 1:6,1	15" / 381 mm - 37" / 940 mm	1701	50 / 22,6		
1151035	031324005181		INTERNATIONAL V-50VSX	457 / 0,71	3,1:1 / 1,3:1	14" / 346 mm - 34" / 864 mm	2154	56 / 25,4		
1151040	031324001305		INTERNATIONAL V-130VSX	891 / 1,20	2,2:1 / 1,2:1	21" / 533 mm - 38" / 965 mm	4990	100 / 45,3		



1151036



1

International V - VS

The build specification includes a Quick-Shift finger tip gear change to switch from high to low gear, and shielded stainless steel ball-bearings ensuring a smooth retrieve under pressure. The drag system has a preset knob adjustment that eliminates accidental changes to the drag setting, plus the drag is constructed using Dura Drag washers for a smooth release of line when a big fish turns and runs. The drag is also ratcheted to eliminate the chance of drag creep created by vibration when trolling, a feature requested by top skippers and crew. The Penn International VS reels also sport a non-torsion full metal body and side-plates that, under direct pressure, keep the gears aligned when battling big, heavy, deep down fish. Models 70VS and 80VSW both have a titanium handle blank, and the 12 size only an adjustable line out clicker.

- Ratcheted drag lever prevents "drag creep" caused by hours of trolling and vibrations
- Stainless steel reel stand
- 70VS and 80 VSW have titanium handle blank
- Ultimate adjustable clicker available on 12 size only

- Dura-drag washers virtually eliminate hesitation, even under extreme drag settings
- 4 Shielded stainless steel ball bearings, 6 on size 80
- Braid Ready to handle the strain that braided lines put on a reel



S.A.P	U.P.C	BARCODE		0 1 2 m/mm	RATIO		g	MAX DRAG kg	SHOP	R.R.P	
1151027	031324001619		INTERNATIONAL V-16VS	4	937 / 0,39	5,3:1 / 2,1:1	17" / 432 mm - 45" / 1143 mm	1162	28 / 12,7		
1151030	031324003149		INTERNATIONAL V-30VSW	4	822 / 0,56	3,8:1 / 1:6,1	15" / 381 mm - 37" / 940 mm	1644	30 / 13,6		
1151033	031324005174		INTERNATIONAL V-50VSW	4	754 / 0,71	3,1:1 / 1,3:1	14" / 346 mm - 34" / 864 mm	2126	45 / 20,4		
1151036	031324000742		INTERNATIONAL V-70VS	4	594 / 0,86	3,1:1 / 1,4:1	18" / 457 mm - 39" / 991 mm	2835	45 / 20,4		
1151038	031324008144		INTERNATIONAL V-80VSW	6	868 / 0,86	3,1:1 / 1,4:1	19" / 483 mm - 43" / 1092 mm	3147	40 / 18,1		



International V - VW Single speed

These single speed reels have almost identical retrieve rates to their 2-speed cousins, plus retain many of the same proven build features including a one-piece, gold anodized reel frame and side-plates, tough gears, a drag system again fitted with super smooth drag washers, plus a Push-to-Turn preset knob that eliminates any chance of drag creep when trolling. Professional skippers and crew hold these reels in high regard for their overall durability, reliability, and ease of use when in mid battle with giant fish.

- Full metal body and sideplates keep precise gear alignment under heavy loads
- Dura-drag washers virtually eliminate hesitation, even under extreme drag settings
- Four ball bearings for smooth performance in salt water
- Push-To-Turn™ preset knob eliminates accidental changes to the drag
- Ultimate adjustable clicker available on 12 size only



S.A.P	U.P.C	BARCODE			0 1 2 m/mm	RATIO			MAX DRAG kg		R.R.P
1151044	031324003071		INTERNATIONAL 30VW		822 / 0,56	3,8:1		37" / 940 mm	1616	30 / 13,6	
1151047	031324005068		INTERNATIONAL 50VW		754 / 0,71	3,1:1		35" / 889 mm	2098	45 / 20,4	



Squall Lever Drag 2 Speed

- Lightweight graphite frame and sideplate
- Stainless steel main and pinion gear
- Quick-Shift TM two-speed system
- Double-dog ratchet anti-reverse

- Forged and aluminium spool
- Dura Drag TM washers to eliminate every hesitation
- 4 Shielded stainless steel ball bearings
- Line Capacity Rings



Stainless steel main and pinion gear



Duradrag carbon washer



S.A.P	U.P.C	BARCODE	0 1 2 m/mm	0 1 2 yd / lb	RATIO			MAX DRAG kg		R.R.P
SQUALL 16VS LD 2SP										
1292936	031324197039		995 / 0,38	15 / 1090	4,5:1 / 2,1:1		39" / 991 mm - 18" / 457 mm	1089	20 / 9	
SQUALL 30VSW LD 2SP										
1292937	031324197046		1275 / 0,46	1395 / 20	4,2:1 / 1,8:1		41" / 1041 mm - 18" / 457 mm	1329	24 / 10,9	
SQUALL 50VSW LD 2SP										
1292938	031324197053		1420 / 0,54	1550 / 30	2,9:1 / 1,5:1		33" / 838 mm - 17" / 432 mm	1574	30 / 13,6	





PENN



Fathom Level Wind LH

- Full metal body and sideplates
- Marine grade bronze alloy main gear
- Versa Drag TM system with HT-100 washers
- 3+1 Stainless steel bearing system

- Precision machined stainless steel pinion gear
- Stainless steel TiN coated levelwind system
- Left handed



3+1



S.A.P	U.P.C	BARCODE		0 1 2 m/mm	RATIO		g	MAX DRAG kg	SNOW	HOME	R.R.P
1259867	031324189539		FATHOM 20 LEVEL WIND LH	290 / 0,42	4,3:1	24" / 610 mm	553	30 / 13,6	1		
1259868	031324189546		FATHOM 25 LEVEL WIND LH	300 / 0,46	4,3:1	24" / 610 mm	567	30 / 13,6	1		



Fathom Level Wind

- Full metal body and sideplates
- Precision machined stainless steel pinion gear
- 3 Shielded stainless steel ball bearings
- Instant anti-reverse bearing with silence back up ratchet

- Stainless steel TiN coated levelwind system
- Marine-grade bronze alloy main gear
- Versa Drag TM system with HT-100 TM washers
- Reversible harness lugs on 40 & 60 sizes



3+1 MAX DRAG kg 30 / 13,6 SNOW 1 HOME R.R.P



S.A.P	U.P.C	BARCODE		0 1 2 m/mm	(①)		RATIO		g	SNOW	HOME	R.R.P
1206076	031324203020		FATHOM 15 LW	290 / 0,38	V. Drag/HT100	Alu	4,3:1	24" / 610 mm	544			
1206089	031324203037		FATHOM 20 LW	290 / 0,42	V. Drag/HT100	Alu	4,3:1	24" / 610 mm	553			
1206090	031324203044		FATHOM 25 LW	300 / 0,46	V. Drag/HT100	Alu	4,3:1	24" / 610 mm	567			
1206091	031324203051		FATHOM 40 LW	360 / 0,56	V. Drag/HT100	Alu	4,3:1	35" / 889 mm	689			
1206092	031324203068		FATHOM 60 LW	400 / 0,61	V. Drag/HT100	Alu	4,3:1	35" / 889 mm	712			



Fathom Star Drag

- Diecast alu minu m fra me and sideplates
- Machine cut marine grade bronze main gear with hardened stainless steel pinion
- Versa Drag TM system with HT-100 washers
- Internally adjustable centrifugal brake system

- 5+1 Shielded stainless steel bearing system
- Instant anti-reverse bearing with silent back up ratchet
- HT-100 drag washers provides smooth drag under heavy pressure
- Line Capacity Rings



5+1 RATIO 6,0:1



S.A.P	U.P.C	BARCODE		0 1 2 m/mm		g	MAX DRAG kg	SNOW	HOME	R.R.P
1238443	031324186620		FATHOM 15 STAR DRAG	256 / 0,38	28" / 710 mm	442	25 / 11,3	1		
1238444	031324186637		FATHOM 25N STAR DRAG	265 / 0,48	40" / 1020 mm	507	25 / 11,3	1		



Fathom Lever Drag 2 Speed

Introducing the new Fathom LD two speed! With a full metal body, stainless steel gearing and our proprietary Dura-Drag system the Fathom LD is ready for the battle. The stainless machine steel gear doesn't get much tougher and with the drilled out gear we reduced weight. A perfect combination between strength, weight and speed.

- Full metal body and side plates
- Switch blade lugs on 60 size only
- Forged and machined aluminum spool
- Double-dog ratchet anti reverse

- Including Dura-Drag™ washers
- Line capacity rings
- Quick Shift™ 2-speed system
- Stainless steel main and pinion gear



S.A.P	U.P.C	BARCODE		$\frac{0-1-2}{m/mm}$	$\frac{0-1-2}{yd/lb}$	RATIO			MAX DRAG kg			R.R.P
FTH15LD2/FATHOM 15 LEVER DRAG 2SP BOX												
1292931	031324196988		5	320 / 0,36	355 / 12	6.1:1 / 2.8:1	31" / 787 mm - 14" / 346 mm	442	20 / 9	1		
FTH25NLD2/FATHOM 25N LEVER DRAG 2SP BOX												
1292932	031324196995		5	300 / 0,46	330 / 20	5.5:1 / 2.7:1	38" / 965 mm - 19" / 483 mm	555	33 / 15	1		
FTH30LD2/FATHOM 30 LEVER DRAG 2SP BOX												
1292933	031324197008		5	402 / 0,46	440 / 20	5.5:1 / 2.7:1	38" / 965 mm - 19" / 483 mm	566	33 / 15	1		
FTH40NLD2/FATHOM 40N LEVER DRAG 2SP BOX												
1292934	031324197015		5	347 / 0,54	410 / 30	5.0:1 / 2.5:1	42" / 1070 mm - 21" / 535 mm	728	40 / 18,1	1		
FTH60LD2/FATHOM 60 LEVER DRAG 2SP BOX												
1292935	031324197022		5	432 / 0,61	480 / 40	5.0:1 / 2.5:1	42" / 1070 mm - 21" / 535 mm	773	40 / 18,1	1		


Squall Lever Drag



- Lightweight graphite frame and sideplates
- Forged and machined aluminium spool
- Dura-Drag washers virtually eliminate hesitation, even under extreme drag settings
- Line Capacity Rings

- Stainless steel main and pinion gear
- Ratcheted drag lever prevents "drag creep" caused by hours of trolling and vibrations
- 6 Stainless steel bearing system



S.A.P	U.P.C	BARCODE	$\frac{0-1-2}{m/mm}$	$\frac{0-1-2}{yd/lb}$	RATIO				MAX DRAG kg			R.R.P
SQUALL 40 LD LH 												
1238641	031324186705		450 / 0,48	300 / 40	5,1:1		37" / 940 mm	516	18 / 8,1			
SQUALL 60 LD LH 												
1238642	031324186712		460 / 0,61	330 / 60	4,3:1		35" / 890 mm	593	30 / 13,6			
SQUALL 30 LD												
1206093	031324203075		360 / 0,46	260 / 30	6,1:1		37" / 940 mm	593	13 / 5,8			
SQUALL 40 LD												
1206094	031324203082		450 / 0,48	300 / 40	5,1:1		37" / 940 mm	777	18 / 8,1			
SQUALL 50 LD												
1206095	031324203099		460 / 0,56	310 / 50	4,3:1		35" / 890 mm	797	20 / 9,7			
SQUALL 60 LD												
1206096	031324203112		460 / 0,61	330 / 60	4,3:1		35" / 890 mm	797	30 / 13,6			



PENN



Squall Level Wind

- Lightweight graphite frame & sideplate
- High-strength marine grade bronze alloy main gear
- HT-100 TM carbon fiber drag washers
- Instant anti-reverse bearing withc silent back up ratchet
- Forged & machined aluminum spool
- Stainless steel pinion gear
- 2+1 Shielded stainless steel bearing system
- Line Capacity Rings



S.A.P	U.P.C	BARCODE	$\frac{0 \text{--} 1 \text{--} 2}{\text{m/mm}}$	$\frac{0 \text{--} 1 \text{--} 2}{\text{yd/lb}}$	RATIO			MAX DRAG kg		R.R.P
SQUALL 20 LEVEL WIND LH										
1292941	031324197084		380 / 0,41	415 / 17	4,91:1	28" / 700 mm	479	15 / 7		
SQUALL 30 LEVEL WIND LH										
1292944	031324197114		415 / 0,49	455 / 25	4,91:1	35" / 890 mm	591	20 / 9		
SQUALL 15 LEVEL WIND										
1292939	031324197060		290 / 0,38	320 / 15	4,91:1	28" / 700 mm	459	15 / 7		
SQUALL 20 LEVEL WIND										
1292940	031324197077		380 / 0,41	415 / 17	4,91:1	28" / 700 mm	479	15 / 7		
SQUALL 20 LEVEL WIND LC										
1292942	031324197091		380 / 0,41	415 / 17	4,91:1	28" / 700 mm	503	15 / 7		
SQUALL 30 LEVEL WIND										
1292943	031324197107		415 / 0,49	455 / 25	4,91:1	35" / 890 mm	591	20 / 9		
SQUALL 50 LEVEL WIND										
1292945	031324197121		395 / 0,61	435 / 40	4,0:1	32" / 820 mm	696	20 / 9		



Mag2

- Lightweight graphite frame and sideplates
- Forged and machined aluminum spool
- 6 stainless steel shielded bearings
- Instant anti-reverse bearing with silent back up ratchet
- HT-100 powered drag system
- High-strength marine grade bronze alloy main gear
- Indexed magnetic braking system
- Stainless steel pinion gear, Braid ready



S.A.P	U.P.C	BARCODE		$\frac{0 \text{--} 1 \text{--} 2}{\text{m/mm}}$	()	MAX DRAG kg	RATIO				R.R.P
1207532	031324186132		515 MAG2 GS	201 / 0,38	HT100	20 / 9	6,0:1	28" / 711 mm	403		
1207533	031324186149		525 MAG2 GS	240 / 0,17	HT100	20 / 9	6,0:1	28" / 711 mm	409		
1291102	031324196643		535MAG GS MAG2	200 / 0,46	HT100	20 / 9	6,0:1	42" / 1070 mm	510		

Special Senator

The Special Senators feature a higher gear ratio and faster retrieve than standard Senators, but all have a powerful, multi-disc drag system, two stainless steel ball bearings, a manganese-bronze main gear and a precision-machined stainless steel pinion gear. These reels have accounted for more record fish than any other reel over the years, and remain one of the toughest and most durable economically priced reels. Available in sizes 113L2, 114L2, 115L2 and 116L to cover a wide variety of fishing situations throughout the world.



- Machined and anodized aluminum spool
- High-strength marine grade bronze alloy main gear
- HT-100™ drag washers provide smooth drag under heavy loads
- 2 Shielded stainless steel ball bearings
- Convertible power handle
- Precision-machined stainless steel pinion gear
- Stainless steel frame rings enhances rigidity to prevent "frame-flex"
- Multi-disc star drag system for smooth and consistent drag
- Stainless steel reel stand
- Heavy-duty clicker



S.A.P	U.P.C	BARCODE		$\frac{\text{m}}{\text{mm}}$	RATIO		$\frac{\text{kg}}{\text{m}}$	MAX DRAG kg		R.R.P
1187314	031324201507		113L2 - size 4/0	594 / 0,46	2,0:1	16° / 406 mm	765	8,55		
1187315	031324201514		114L2 - size 6/0	662 / 0,56	2,1:1	21° / 533 mm	1247	9,45		
1199904	031324202771		115L2 - size 9/0	1051 / 0,56	2,5:1	28° / 711 mm	1615	10,7		
1151086	031324011632		116L - size 12/0	1371 / 0,76	2:1	29° / 737 mm	2523	30 / 13,6		





NEW



1366200 - 1366201



1366195

Warfare

The PENN Warfare was engineered to be an extremely versatile all-around reel at an affordable price. It features a lightweight graphite frame and sideplates with aluminum frame rings for improved rigidity to prevent frame-flex. HT-100 drag washers provide smooth drag under heavy loads. Line Capacity Rings eliminate the question of how much line you have left when fighting a fish.

- Lightweight graphite frame and sideplates
- Forged and machined aluminum spool
- Machined brass main and pinion gear
- HT-100 carbon fiber drag washers
- Instant Anti-Reverse bearing
- Line Capacity Rings



S.A.P	U.P.C	BARCODE	0 m/mm	0 yd / lb	RATIO		MAX DRAG kg	HOME	R.R.P
WARFARE 15 LEVELWIND REEL BOX									
1366185	031324165564		290/0.38	320/15	5.1:1	29'/737	518	15lb/6.8kg	
WARFARE 15 LW LH REEL BOX									
1366187	031324165588		290/0.38	320/15	5.1:1	29'/737mm	504	15lb/6.8kg	
WARFARE 15 LW LC REEL BX									
1366188	031324165595		290/0.38	320/15	5.1:1	29'/737mm	524	15lb/6.8kg	
WARFARE 15 LW LCLH REEL BX									
1366189	031324165601		290/0.38	320/15	5.1:1	29'/737mm	524	15lb/6.8kg	
WARFARE 20 LEVELWIND REEL BOX									
1366190	031324165618		290/0.46	315/20	5.1:1	29'/737mm	526	15lb/6.8kg	
WARFARE 20 LW LH REEL BX									
1366192	031324165632		290/0.46	315/20	5.1:1	29'/737mm	526	15lb/6.8kg	
WARFARE 20 LW LC REEL BX									
1366193	031324165649		290/0.46	315/20	5.1:1	29'/737mm	546	15lb/6.8kg	
WARFARE 20 LW LH REEL BX									
1366194	031324165656		290/0.46	315/20	5.1:1	29'/737mm	546	15lb/6.8kg	
WARFARE 30 LEVELWIND REEL BX									
1366195	031324165663		340/0.54	370/30	3.9:1	28'/711mm	640	15lb/6.8kg	
WARFARE 20N STARDRAG REEL BX									
1366200	031324165717		255/0.46	280/20	5.1:1	34'/864mm	518	15lb/6.8kg	
WARFARE 30 STARDRAG REEL BX									
1366201	031324165724		325/0.54	360/30	5.1:1	34'/864mm	555	15lb/6.8kg	

Levelwind



The classic look and style of the Penn Level-wind's reflect the heritage and reputation of Penn reels through the years. Features lightweight composite side plates, precision machined stainless steel pinion gear and brass main gear, a counterbalanced handle with oversized paddle handle, and a stainless steel level wind for accurate line lay. They are available in left hand wind models, or with a line counter for gauging depth when targeting fish such as European coalfish, cod and pollack that tend to swim and feed at specific depths.

- Lightweight composite side plates
- Precision-machined, stainless steel pinion gear
- Brass main gear
- Counterbalanced handle with oversized paddle knob
- 209LC Available with line counter (Feet)

	209LC		1
S.A.P	U.P.C	BARCODE	
1152038	031324002098		329 / 0,41 360 / 17 3,2:1 19° / 483 mm 532 4,5



SPINNING REELS



TRQ Spin

A Penn flagship reel and one of the most powerful reels available, the Penn TRQ Spinning Reel is designed to target and tame big, fast running game fish. manufactured with a full metal body utilising a one-piece machined aluminum frame, a forged and machined aluminum spool and side-plates, plus a fully sealed gearbox, this reel offers maximum durability and performance. The oversized Versa Drag HT-100 drag system gives line smoothly on demand, but can lock up to apply maximum power when bullying big fish at depth. An integral clutch sleeve eliminates any back play, the reels sport 7 sealed stainless steel ball-bearings, plus machine cut, marine grade bronze main gear and a hardened stainless steel pinion gear. Other features include a high strength 100% stainless steel bale arm system, plus an innovative bale arm switch allows the angler to choose between manual and auto mode. models without a bale arm are also available.

- Fully sealed and waterproof drag and gear box
- HT-100 powered dual (Slammer) drag system (20+kg)
- Hardened stainless steel pinion gear
- Automatic bail system
- Triple supported titanium main shaft
- One piece aluminum frame
- Machine cut marine-grade bronze main gear
- Forged & machined aluminium spool, sideplates & one-piece handle
- 7+1 Sealed stainless bearings

	7+1		Alu		1
--	-----	--	-----	--	---



S.A.P	U.P.C	BARCODE			MAX DRAG kg	RATIO			R.R.P
1199948	031324202788		TRQ SPIN 5000GOLD	310 / 0,36	V. Drag / HT100	38 / 17,2	5,9:1	32" / 813 mm	604
1199949	031324202795		TRQ SPIN 7000GOLD	448 / 0,38	V. Drag / HT100	41 / 18,5	5,1:1	38" / 965 mm	839
1199950	031324202801		TRQ SPIN 9000GOLD	448 / 0,46	V. Drag / HT100	50 / 22,5	5,1:1	48" / 1219 mm	873



NEW

Clash

The PENN® Clash® features everything one would expect from a legendary fishing tackle manufacture such as PENN. Starting from the inside out, the gear train runs off our Dura-Gear technology which offers a more durable and long lasting gear. 9 sealed bearings keep everything in line and moving freely while an Full Metal Body eliminates twist caused by high drag pressure. Other features include a thick aluminum bail wire, slow oscillation system for superb line management, Line Capacity Rings, and a braid ready spool.


Liveline System :

- Perfect oscillation
- Longer casts and fewer wind knots



9+1



HT-100



Alu



1



S.A.P	U.P.C	BARCODE		$\frac{\text{m}}{\text{mm}}$	$\frac{\text{yds}}{\text{lb}}$	MAX DRAG kg	RATIO					R.R.P
1366178	031324165496		CLA2000 CLASH 2000 SPN REEL BOX	255 / 0,14	275 / 2	9 / 4	5,2:1	22" / 559 mm	222	1		
1366179	031324165502		CLA2500 CLASH 2500 SPN REEL BOX	220 / 0,16	240 / 4	10 / 4,5	6,2:1	30" / 762 mm	269	1		
1366180	031324165519		CLA3000 CLASH 3000 SPN REEL BOX	235 / 0,18	255 / 6	12 / 5,4	6,2:1	33" / 838 mm	278	1		
1366181	031324165526		CLA4000 CLASH 4000 SPN REEL BOX	260 / 0,22	280 / 8	15 / 6,8	6,2:1	35" / 889 mm	294	1		
1366182	031324165533		CLA5000 CLASH 5000 SPN REEL BOX	285 / 0,25	305 / 10	20 / 11,3	5,6:1	37" / 940 mm	464	1		
1366183	031324165540		CLA6000 CLASH 6000 SPN REEL BOX	310 / 0,28	330 / 12	25 / 11,3	5,6:1	39" / 1041 mm	586	1		
1366184	031324165557		CLA8000 CLASH 8000 SPN REEL BOX	335 / 0,32	355 / 15	30 / 13,6	4,7:1	41" / 1118 mm	668	1		

Conflict

The Conflict spinning reel is lightweight, smooth, and sleek. The Conflict is designed for the technical angler who is looking for a step up in performance when compared to the Battle. Suitable for all kind of saltwater fishing, inshore, deep sea and spinning, but also for freshwater spinning, carp and catfish.



- Aluminum body and sideplate
- 7+1 bearing system
- Heavy-duty aluminum bail wire
- Superline spool
- Techno.balanced™ rotor for smooth retrieving

- High strength carbon infused rotor (1000 - 4000 sizes)
- HT-100 carbon fiber drag washers
- Line capacity rings
- Infinite anti-reverse



7+1



HT 100



Alu



S.A.P	U.P.C	BARCODE		$\frac{\text{m}}{\text{mm}}$	$\frac{\text{yds}}{\text{lb}}$	MAX DRAG kg	RATIO					R.R.P
1292948	031324197152		CONFICT 1000	255 / 0,14	275 / 2	9 / 4	5,2:1	22" / 559 mm	222	1		
1292949	031324197169		CONFICT 2000	220 / 0,20	240 / 4	10 / 4,5	6,2:1	30" / 762 mm	269	1		
1292950	031324197176		CONFICT 2500	235 / 0,23	255 / 6	12 / 5,4	6,2:1	33" / 838 mm	278	1		
1292951	031324197183		CONFICT 3000	180 / 0,28	200 / 8	15 / 6,8	6,2:1	35" / 889 mm	321	1		
1292952	031324197190		CONFICT 4000	245 / 0,28	270 / 8	15 / 6,8	6,2:1	37" / 940 mm	340	1		
1292953	031324197206		CONFICT 5000	205 / 0,36	225 / 12	25 / 11,3	5,6:1	36" / 914 mm	539	1		
1292954	031324197213		CONFICT 6000	305 / 0,38	335 / 15	25 / 11,3	5,6:1	41" / 1041 mm	610	1		
1292955	031324197220		CONFICT 8000	310 / 0,46	340 / 20	30 / 13,6	5,3:1	44" / 1118 mm	823	1		

Spinfisher V

The Spinfisher series is already for more than 50 years the ultimate workhorse in the PENN range. In 2012 we have launched the new Spinfisher V series, stronger, smoother, a perfect drag system and fully sealed. For the first time Penn introduces the Spinfisher V Liveliner and the biggest reel ever, a size 10500 for extreme line capacity. The HT-100 Slammer Drag is very smooth and provides more pressure than before. Spinfisher V, stronger than ever.



- All metal frame, sideplate and rotor
- Thicker heavy duty bail wire adds strength and durability
- Sealed and oversized HT-100 Slammer drag system
- Infinite anti-reverse(back up ratchet) 7500-10500 sizes)
- Enhanced gear ratios on smaller sizes

- Stainless steel mainshaft and alloy main gear
- Sealed body design
- Automatic bail trip system on all models
- Spool designed for mono and braid
- Triple-supported and oversized stainless steel mainshaft on sizes 9500 & 10500



Sealed and oversize HT-100
Slammer drag system






Sealed body design



Brake waterproof drag



S.A.P	U.P.C	BARCODE		0 m/mm	0 yd / lb	MAX DRAG kg	RATIO				R.R.P
1259869	031324189638			SPINFISHER SSV3500	360 / 0,20	390 / 4	9	6,2:1	30" / 762 mm	380	
1259871	031324189652			SPINFISHER SSV4500	275 / 0,28	300 / 8	11,25	6,2:1	34" / 864 mm	397	
1259874	031324189683			SPINFISHER SSV5500	330 / 0,31	360 / 10	13,5	5,6:1	35" / 889 mm	578	
1259876	031324189706			SPINFISHER SSV6500	305 / 0,36	330 / 12	13,5	5,6:1	39" / 991 mm	604	
1259878	031324189720			SPINFISHER SSV7500	400 / 0,38	440 / 15	15,75	4,7:1	36" / 914 mm	763	
1259879	031324189737			SPINFISHER SSV8500	400 / 0,46	440 / 20	15,75	4,7:1	42" / 1067 mm	836	
1259881	031324189751			SPINFISHER SSV9500	330 / 0,56	360 / 30	18	4,2:1	39" / 991 mm	1086	
1259882	031324189768			SPINFISHER SSV10500	380 / 0,56	415 / 30	18	4,2:1	42" / 1067 mm	1128	
1259873	031324189676			SPINFISHER SSV4500LL	275 / 0,28	300 / 8	11,25	6,2:1	34" / 864 mm	459	
1259877	031324189713			SPINFISHER SSV6500LL	305 / 0,36	330 / 12	13,5	5,6:1	39" / 991 mm	675	
1259880	031324189744			SPINFISHER SSV8500LL	400 / 0,46	440 / 20	15,75	4,7:1	42" / 1067 mm	913	

Spinfisher V LC



- Full Metal Body
- HT-100 sealed drag system
- Solid oversized aluminum bail wire
- Including deep mono spool + shallow braid spool
- Water tight design

- Corrosion resistance construction
- Slow oscillation
- Line capacity rings
- Rotor brake system
- 5+1 Ball bearings



S.A.P	U.P.C	BARCODE		0 m/mm	0 yd / lb	MAX DRAG kg	RATIO				R.R.P
1313142	031324156470			SSV7500LCU/SPINFISHER 7500LC REELBOX	300 / 0,18	330 / 15	20 / 9	4,7:1	36" / 994mm	27,3 / 775	



PENN

Battle II



With the same full metal body and drag system you trust, the NEW Battle II has been engineered to cast further, achieve higher drag pressure and resist corrosion better than ever before. For a perfectly balanced combination we recommend the use of the Battle II with one of our Regiment rods.

- Full metal body
- Oversized solid bail arm
- HT-100 Sealed drag system
- Line capacity rings

- E-coating corrosion resistance design
- 5+1 Sealed ball bearings
- Techno balanced rotor
- Superline spool

	5+1		HT 100		Alu		1
--	-----	--	--------	--	-----	--	---



S.A.P	U.P.C	BARCODE		$\frac{m}{mm}$	$\frac{yd}{lb}$	MAX DRAG	RATIO				R.R.P
1338215	031324160125		BTII1000/BATTLE II 1000	255 / 0.14	275 / 2	9 / 4	5.2:1	22° / 559 mm	228		
1338216	031324160132		BTII2000/BATTLE II 2000	220 / 0.20	240 / 4	10 / 4,5	6.2:1	30° / 762 mm	276		
1338217	031324160149		BTII2500/BATTLE II 2500	235 / 0.23	255 / 6	12 / 5,4	6.2:1	33° / 838 mm	290		
1338218	031324160156		BTII3000/BATTLE II 3000	180 / 0.28	200 / 8	15 / 6,8	6.2:1	35° / 889 mm	347		
1338219	031324160163		BTII4000/BATTLE II 4000	245 / 0.28	270 / 8	15 / 6,8	6.2:1	37° / 940 mm	362		
1338220	031324160170		BTII5000/BATTLE II 5000	205 / 0.36	225 / 12	25 / 11,3	5.6:1	36° / 914 mm	559		
1338221	031324160187		BTII6000/BATTLE II 6000	305 / 0.38	335 / 15	25 / 11,3	5.6:1	41° / 1041 mm	626		
1338222	031324160194		BTII8000/BATTLE II 8000	310 / 0.46	340 / 20	30 / 13,6	5.3:1	44° / 1118 mm	855		

Battle II Longcast

NEW



The PENN® Battle II Longcast series offers attractive cosmetics, durable design, and silky smooth HT-100 drag as just a few of the many reasons why so many anglers fish this reel. The Full Metal Body construction allows it to maintain precision gear alignment under severe punishment. The Longcast spool and the slow oscillation system provides great linelay and casting distances.

- HT-100 Versa Drag system
- Techno-Balanced™ rotor gives smooth retrieves
- 5+1 shielded stainless steel ball bearings
- Instant Anti-Reverse bearing
- Heavy-duty aluminum bail wire
- Superline Spool
- Line Capacity Rings
- Including braid spool / Rotor brake
- Liveliner function
- Slow oscillation

1378282

1378284

	Front Drag		Alu		1
--	------------	--	-----	--	---



S.A.P	U.P.C	BARCODE			$\frac{m}{mm}$	$\frac{yd}{lb}$	MAX DRAG	RATIO							R.R.P
1378282	031324168152		BTII7000CEU SPN REEL BOX	5+1	400/0.35	430/12	30lb/13.6kg	4.7:1	35° / 89cm	708					
1378283	031324168169		BTII8000CEU SPN REEL BOX	5+1	440/0.44	480/12	30lb/13.6kg	4.7:1	43° / 108cm	792					
1378284	031324168176		BTII8000CLLEU SPN REEL BOX	6+1	440/0.35	370/15	30lb/13.6kg	4.7:1	43° / 108cm	850					

PENN

NEW

Fierce II



The PENN® Fierce II® offers dependability and unparalleled power at an affordable price. Its field-proven oiled-felt drag system is extremely reliable and has the muscle to tame fish. Featuring a Full Metal Body, stainless steel main shaft, thick aluminum bail wire, and braid ready spool the Fierce II was engineered to provide unwavering performance in the roughest conditions.

- Full Metal Body and sideplate keep precise gear alignment under heavy loads
- Machined and anodized aluminum spool
- Stainless steel main shaft
- 4 Shielded stainless steel ball bearings
- Instant Anti-Reverse bearing
- Machined and anodized aluminum handle with soft touch knob

	4+1		Front Drag		Alu		1
--	-----	--	------------	--	-----	--	---



S.A.P	U.P.C	BARCODE		0 1 2 m/mm	0 1 2 yd / lb	MAX DRAG kg	RATIO				R.R.P
1364031	031324164987		FIERCE II 1000 SPIN REEL BOX	125/0.20	135/4	7lb/3.1kg	5.2:1	20"/508mm	221		
1364032	031324164994		FIERCE II 2000 SPIN REEL BOX	165/0.23	180/6	7lb/3.1kg	6.2:1	30"/762mm	263		
1364034	031324165014		FIERCE II 2500 SPIN REEL BOX	160/0.28	175/8	7lb/3.1kg	6.2:1	33"/838mm	275		
1364036	031324165038		FIERCE II 3000 SPIN REEL BOX	150/0.31	165/10	10lb/4.5kg	6.2:1	35"/889mm	331		
1364038	031324165052		FIERCE II 4000 SPIN REEL BOX	200/0.31	220/10	13lb/5.8kg	6.2:1	37"/940mm	348		
1364040	031324165076		FIERCE II 5000 SPIN REEL BOX	185/0.38	200/15	20lb/9kg	5.6:1	36"/914mm	555		
1364042	031324165090		FIERCE II 6000 SPIN REEL BOX	210/0.46	230/20	20lb/9kg	5.6:1	41"/1041mm	600		
1364044	031324165113		FIERCE II 8000 SPIN REEL BOX	285/0.48	310/25	20lb/9kg	5.3:1	44"/1118mm	804		
1364046	031324165137		FIERCE II 2500LL SPN REEL BX	160/0.28	175/8	20lb/9kg	6.2:1	33"/838mm	283		
1364048	031324165151		FIERCE II 4000LL SPN REEL BX	200/0.31	220/10	20lb/9kg	6.2:1	37"/940mm	419		
1364050	031324165175		FIERCE II 6000LL SPN REEL BX	210/0.46	230/20	20lb/9kg	5.6:1	41"/1041mm	685		
1364052	031324165199		FIERCE II 8000LL SPN REEL BX	285/0.48	310/25	25lb/11.3kg	5.3:1	44"/1118mm	908		



Sargus II

- Full metal body
- Techno balanced rotor
- Introducing a new 2500 size
- Sealed 5+1 ball bearings

- Sealed felt drag system
- Line capacity rings
- Improved maximum drag pressure

	5+1		FD		Alu		1
--	-----	--	----	--	-----	--	---



S.A.P	U.P.C	BARCODE		0 1 2 m/mm	0 1 2 yd / lb	MAX DRAG kg	RATIO				R.R.P
1321596	031324159365		SGII2000/SARGUS II 2000	220 / 0.20	240 / 4	10 / 4,5	6.2:1	30" / 762 mm	275		
1321597	031324159372		SGII2500/SARGUS II 2500	235 / 0.23	255 / 6	12 / 5,8	6.2:1	33" / 857 mm	284		
1321598	031324159389		SGII3000/SARGUS II 3000	180 / 0.28	200 / 8	15 / 6,75	6.2:1	35" / 889 mm	335		
1321659	031324159396		SGII4000/SARGUS II 4000	245 / 0.28	270 / 8	15 / 6,75	6.2:1	37" / 940 mm	350		
1321660	031324159402		SGII5000/SARGUS II 5000	205 / 0.36	225 / 12	25 / 11,3	5,6:1	36" / 914 mm	563		
1321661	031324159419		SGII6000/SARGUS II 6000	305 / 0.38	335 / 15	25 / 11,3	5,6:1	41" / 1041 mm	626		
1321662	031324159426		SGII8000/SARGUS II 8000	3010 / 0.46	340 / 20	30 / 13,6	5,3:1	44" / 1118 mm	853		



Pursuit II

- Lightweight and corrosion-resistant graphite body
- Line capacity rings
- Machined and anodized aluminum spool
- Improved handle knobs
- 4+1 shielded stainless steel bearing system
- Infinite anti-reverse



S.A.P	U.P.C	BARCODE			$\frac{0 \dots 1}{m/mm}$	$\frac{0 \dots 1}{yd/lb}$	MAX DRAG kg	RATIO				R.R.P
1292956	031324197237		PURSUIT II 3000		215 / 0,23	235 / 6	10 / 4,5	5,2:1	25° / 635 mm	337		
1292958	031324197251		PURSUIT II 4000		260 / 0,28	285 / 8	12 / 5,8	5,2:1	28° / 711 mm	365		
1292960	031324197275		PURSUIT II 5000		235 / 0,36	255 / 12	20 / 9	4,6:1	27° / 686 mm	541		
1292962	031324197299		PURSUIT II 6000		270 / 0,38	295 / 15	20 / 9	4,6:1	27° / 686 mm	594		
1292964	031324197312		PURSUIT II 8000		360 / 0,46	395 / 20	25 / 11,3	4,3:1	31° / 787 mm	775		



Affinity

- Long stroke forged aluminium spool
- Titanium main shaft and bail wire
- Fully salt water resistant
- Smooth 'quick' turn drag system
- Machined aluminum handle

- Stainless steel shielded ball bearings
- Slow oscillation
- 7000- Supplied with 2 Alu.Spool -1std (300m/0.40mm) 1Braid (270m/0.18mm)
- 8000- Supplied with 2 Alu.Spool -1std (340m/0.40mm) 1Braid (300m/0.18mm)
- Rotor brake system-Manual bail arm



S.A.P	U.P.C	BARCODE			$\frac{0 \dots 1}{m/mm}$	$\frac{0 \dots 1}{yd/lb}$	MAX DRAG kg	RATIO				R.R.P
1262681	031324189898		AFFINITY LC 7000		270/0,18	295 / 3	20kg/9lb	4,2:1	33° / 857 mm	642		
1239791	031324187863		AFFINITY LC 8000		300/0,18	330 / 3	37kg/17lb	4,2:1	37° / 980 mm	715		



Surfblaster

- Long stroke forged aluminum spool
- Fully salt water resistant
- Smooth 'quick' turn drag system
- Machined aluminium handle
- 7+1 Stainless steel ball bearings
- Slow oscillation
- Supplied with 2 x aluminum spool -1 x std (400m 0.40 mm) 1 x braid (300 m 0.18 mm)
- Rotor brake system
- Automatic bail arm



S.A.P	U.P.C	BARCODE			$\frac{0 \dots 1}{m/mm}$	$\frac{0 \dots 1}{yd/lb}$	MAX DRAG kg	RATIO				R.R.P
1262680	031324189881		SURFBLASTER 7000		270 / 0,18	295 / 3	20 / 9	4,2:1	33° / 857 mm	644		
1239790	031324187856		SURFBLASTER 8000		300 / 0,18	330 / 3	37 / 17	4,2:1	37° / 980 mm	727		



Affinity 8000 Ltd

- Slow oscillation for perfect linelay
- Including quick drag adjustment system
- Titanium main shaft
- Including a spare forged aluminum spool

- Carbon matrix drag material for smooth drag settings
- Including 2 foldable handles(wooden and rubber knob)
- Oversized black anodized aluminum bail wire
- Large capacity spool

	8+1		FD		Alu		1
--	-----	--	----	--	-----	--	---

S.A.P	U.P.C	BARCODE				MAX DRAG kg	RATIO			R.R.P
1339599	031324161146		AFF8000LTD/Affinity 8000 Ltd	485 / 0,35	530 / 12	31 / 15	4.3:1	38" / 950 mm	730	



Affinity 7000 Ltd Liveliner

- Slow oscillation for perfect linelay
- Carbon matrix drag material for smooth drag settings
- Titanium main shaft
- Including a spare forged aluminum spool

- Including Liveliner function
- Including quick drag adjustment system
- Including 2 foldable handles(wooden and rubber knob)
- Oversized black anodized aluminum bail wire

	8+1		FD		Alu		1
--	-----	--	----	--	-----	--	---

S.A.P	U.P.C	BARCODE				MAX DRAG kg	RATIO			R.R.P
1339654	031324161696		AFF7000LTDLL/Affinity 7000 Ltd Liveliner	415 / 0,35	455 / 12	25 / 12	4.3:1	34" / 85 mm	715	





Spinning Reel Spare Spool 1

S.A.P	U.P.C	BARCODE	Image				R.R.P
1294605	031324163843		SURFBLASTER 7000 Deep Spool	1			
1259563	031324163751		Surfblaster 8000 Deep Spool	1			
1294636	031324163850		AFFINITY LC 7000 Deep Spool	1			
1259572	031324163768		AFFINITY LC 8000 Deep Spool	1			
1276950	031324163775		Spinfisher V 3500 Spool	1			
1276982	031324163782		Spinfisher V 4500 Spool	1			
1276998	031324163928		Spinfisher V 4500LL Spool	1			
1277075	031324163799		Spinfisher V 5500 Spool	1			
1277111	031324163805		Spinfisher V 6500 Spool	1			
1277124	031324163867		Spinfisher V 6500LL Spool	1			
1277177	031324163812		Spinfisher V 7500 Spool	1			
1277207	031324163874		Spinfisher V 8500 Spool	1			
1277223	031324163935		Spinfisher V 6500LL Spool	1			
1277276	031324163829		Spinfisher V 9500 Spool	1			
1277299	031324163836		Spinfisher V 10500 Spool	1			
1308149	031324163942		PursuitII 3000 Spool	1			
1308150	031324163959		PursuitII 4000 Spool	1			
1308163	031324163966		PursuitII 5000 Spool	1			
1308164	031324163973		PursuitII 6000 Spool	1			
1308178	031324163980		PursuitII 8000 Spool	1			
1313856	031324164017		Conflict 1000 Spool	1			
1313836	031324164024		Conflict 2000 Spool	1			
1313822	031324164031		Conflict 2500 Spool	1			
1308076	031324164048		Conflict 3000 Spool	1			
1308077	031324164055		Conflict 4000 Spool	1			
1308110	031324164062		Conflict 5000 Spool	1			
1308111	031324164079		Conflict 6000 Spool	1			
1313881	031324164086		Conflict 8000 Spool	1			

Spinning Reel Spare Spool 2

NEW

S.A.P	U.P.C	BARCODE			R.R.P
1380457	031324168602		47-SSV7500LC Spool Assembly Braid			
1380458	031324168619		47-SSV7500LC Spool Assembly Mono			
1363965	031324164796		Affinity 7000 Ltd LL Spare Spool	1		
1363966	031324164802		Affinity 8000 Ltd Spare Spool	1		
1363967	031324164819		Battlell 1000 Spare Spool	1		
1363968	031324164826		Battlell 2000 Spare Spool	1		
1363969	031324164833		Battlell 2500 Spare Spool	1		
1363970	031324164840		Battlell 3000 Spare Spool	1		
1363971	031324164857		Battlell 4000 Spare Spool	1		
1363972	031324164864		Battlell 5000 Spare Spool	1		
1363973	031324164871		Battlell 600 Spare Spool	1		
1363974	031324164888		Battlell 8000 Spare Spool	1		
1363975	031324164895		Sargusll 2000 Spare Spool	1		
1363976	031324164901		Sargusll 2500 Spare Spool	1		
1363977	031324164918		Sargusll 3000 Spare Spool	1		
1363978	031324164925		Sargusll 4000 Spare Spool	1		
1363979	031324164932		Sargus II 5000 Spare Spool	1		
1363980	031324164949		Sargus II 6000 Spare Spool	1		
1363981	031324164956		Sargusll 8000 Spare Spool	1		



RODS

INTERNATIONAL V Series

The International V-Series IGFA rods were created for the most demanding and discriminating big game anglers looking to catch world record fish or win big game tournaments.

International V Tuna Trolling

- Solid Glass Blank Construction
- Original AFTCO Roller Guides and Stuart Aluminium butt handle
- High Grade EVA fighting fore grip
- Black Leather Cloth Bag



	Solid Glass		HG EVA		AFTCO		1.2.3...		1		1
--	-------------	--	--------	--	-------	--	----------	--	---	--	---

S.A.P	U.P.C	BARCODE		1.2.3...	L-MINI				R.R.P
1154074	031324181250		Int. V Tuna 561 40/100lbs Trolling	56'/168 cm	56'/168 cm	40-100 lb	819		
1154076	031324181274		Int. V Tuna 561 50/130lbs Trolling	56'/168 cm	56'/168 cm	50-130 lb	868		

International V Stand Up Extreme

NEW

Much more powerful than Tuna Series, those rods are designed for extreme stand up fishing. AFTCO big foot rollers allow the use of thick wind-on leader.

- Solid Glass Blank Construction
- Original AFTCO Big Foot Roller Guides
- High Grade EVA fighting fore grip
- Stuart Aluminium butt handle



	Hollow Glass		HG EVA		Roller		1
--	--------------	--	--------	--	--------	--	---

S.A.P	U.P.C	BARCODE		1.2.3...	L-MINI				R.R.P
1151172	031324550179		INTERNATIONAL V 60Stand Up Extreme	1	6'/1.83m	1,83 M	50-100lb	1090 gr	
1151189	031324801318		INT. V 601R Stand Up Extreme	1	6'/1.83m	1,83 m	80-130lb	1135 g	

International V IGFA Trolling

NEW

Specifically designed for maximum leverage when fighting giant fish from a fighting chair, and using one-piece, hollow, E-glass blanks with a traditional parabolic action, these powerful Penn International V-series IGFA big game rods cover all line classes and feature AFTCO roller guides (selected models), a Stuart aluminum butt section, EVA fore grips, and an aluminum gimbal. Super strong rods for super strong fish!

- 1 Piece Hollow Glass
- Original AFTCO Roller Guides
- High Grade EVA fighting fore grip
- Extra resistant and detachable Aluminium butt handle with gimbal
- Black Leather Cloth Bag
- 1151154 and 1151156: curved butt



	Hollow Glass		HG EVA		AFTCO		1.2.3...		1		1
--	--------------	--	--------	--	-------	--	----------	--	---	--	---

S.A.P	U.P.C	BARCODE		1.2.3...	L-MINI				R.R.P
1151150	031324503021		Int. V Igfa 691 30lbs Trolling	6'10"/208 cm	6'10"/208 cm	30 lb	990		
1151151	031324505025		Int. V Igfa 691 50lbs Trolling	6'10"/208 cm	6'10"/208 cm	50 lb	1025		
1151154	031324508040		INTERNATIONAL V IGFA 731 80lbs Trolling	7'3" (2,20 M)	2,23 M	80 lbs	865g		
1151156	031324513044		INT. V IGFA 781 130lbs Trolling	7'8" (2,34 m)	2,37 m	130 lb	2050g		

Tuna Stick Trolling

With battles against giant tuna in mind, these rods feature a one-piece, tubular glass blank with a solid tip and EVA fore grip to apply maximum pressure. The rods are fitted with AFTCO roller guides that provide minimum line passage friction to make gaining line under load as smooth and easy as possible. And for maximum strength a Stuart aluminum reel seat and butt section, with aluminum gimbal and cover designed to minimize corrosion, complete the specification.

- Tube Glass with solid tip

The image shows a Tuna Stick Trolling rod with its components: a black handle, a gold reel seat, and a white tube glass blank with a solid tip. Below the rod is a table with icons and a barcode for two models:

	Tubul.Glass		EVA + Alu		AFTCO Roller		1.2.3...		1		Barcode
	1151258	031324230804		1151260	031324250109	Tuna Stick GLS 561 30/80 Trolling	56'/168 cm	56'/168 cm	30-80 lb	465	
						Tuna Stick GLS 561 50/100 Trolling	56'/168 cm	56'/168 cm	50-100 lb	485	

International V Stand Up

- Hollow Glass Construction
- Roller Guides
- High Grade EVA fighting fore grip
- Aluminium Butt Handle

The image shows an International V Stand Up rod with its components: a black handle, a black reel seat, and a hollow glass blank with a solid tip. Below the rod is a table with icons and a barcode for two models:

	Hollow Glass		HG EVA		1.2.3...		1		Barcode			
	1151165	031324530836		1151166	031324530843	Int. V 601RT 30/80lbs SU	Roller/Turbo	6'/183 cm	6'/183 cm	30-80 lb	805	
						Int. V 601T 30/80lbs SU	Turbo	6'/183 cm	6'/183 cm	30-80 lb	790	

Senator Trolling

Borrowed from a legendary Penn namesake, Penn Senator? rods were designed to be as durable and rugged as the reels they are intended to match. Built on one-piece tubular glass blanks with a solid tip, they carry chrome intermediate guides and AFTCO? Roller Stripper and Roller Tip rings, a machined aluminum reel seat, EVA fore grip, slick butt, and an aluminum gimbal with protective cover. Senator? rods are an economically priced version of the full roller guided rods.

The image shows a Senator Trolling rod with its components: a black handle, a silver reel seat, and a black tube glass blank with a solid tip. Below the rod is a table with icons and a barcode for three models:

	Tubular Glass		EVA		AFTCO		1.2.3...		1		Barcode			
	1151266	031324313538		1151267	031324314535		1151268	031324316539	Senator 3135RS 661 20/40lbs Trolling	6'6"/198 cm	6'6"/198 cm	20-40 lb	663	
									Senator 3145RS 661 30/50lbs Trolling	6'6"/198 cm	6'6"/198 cm	30-50 lb	748	
									Senator 3165RS 661 40/60lbs Trolling	6'6"/198 cm	6'6"/198 cm	40-60 lb	744	

Stuart Bent Butt



Suitable for: International V Tuna Trolling / International V Stand Up Extreme / International V IGFA trolling 30 and 50 lb

S.A.P	U.P.C	BARCODE					R.R.P
1393352	031324170391		Stuart Bent Butt				

ALLY Series

These Ally® boat rods cover all of your inshore fishing needs, from bottom fishing with conventional boat rods, to some serious bottom fishing. Constructed from solid glass blanks for durability.

Ally Boat

NEW

- STT (Solid Tip Technology)
- Aluminum reel seats (Select Models)
- Fuji Aluminum Oxide guides (Select Models)
- Tubular glass blanks

- TRQ EVA and slick butt grips
- Heavy Duty reel seats (Select Models)
- Pac Bay roller guides (Select Models)
- Only model 1366234 will be supplied with a bend butt



1366234



1292992

	EVA		FUJI
--	-----	--	------



S.A.P	U.P.C	BARCODE									R.R.P
1292992	031324197596		ALLBW2050C56/ALLY 20-50 5FT6 CNV	Tubular Glass	1		5'6"/168 cm	20-50 lb	524	1	
1292993	031324197602		ALLBW2050C66/ALLY 20-50 6FT6 CNV	Tubular Glass	1		6'6"/198 cm	20-50 lb	603	1	
1292994	031324197619		ALLBW3080C56/ALLY 30-80 5FT6 CNV	Tubular Glass	1		5'6"/168 cm	30-80 lb	609	1	
1292995	031324197626		ALLBW3080C66/ALLY 30-80 6FT6 CNV	Tubular Glass	1		6'6"/198 cm	30-80 lb	762	1	
1292996	031324197633		ALLBW50100C56/ALLY 50-100 5FT6 CNV	Tubular Glass	1		5'6"/168 cm	50-100 lb	626	1	
1292998	031324197657		ALLBW2050C60RS/ALLY 20-50RS 6FT CNV	Tubular Glass	1		6'/183 cm	20-50 lb	542	1	
1292999	031324197664		ALLBW3080C60RS/ALLY 30-80RS 6FT CNV	Tubular Glass	1		6'/183 cm	30-80 lb	680	1	
1293000	031324197671		ALLBW50100C60RS/ALLY 50-100RS CNV	Tubular Glass	1		6'/183 cm	50-100 lb	662	1	
1366234	031324166059		ALLBW80250C60DD/ ALLY 80-130 6FT	Tubular Glass	2		6" / 183cm	80-130 lb	-	1	

LEGION Series

A versatile series of travel rods for the technical boat angler. With anglers travelling around the world to catch their target fish, PENN anticipated to this market by developing a series of rods that fit in that need. The short transport length will make sure that these rods will fit in any regular suitcase.

Legion Boat

- Gimbal + rubber cap
- Maximum transport length 62 cm
- Fuji reel seat size 20
- Supplied with cordura tube with internal partition
- Fuji SiNII ring
- EVA tube handle
- Mix of 30 and 40T carbon blank



S.A.P	U.P.C	BARCODE	0 1 2	L-MINI	12-20 lb	370	SHOP	R.R.P
1303368	031324198807		LEGION BOAT 234 12-20 lbs (7ft8in)	7'8"/238 cm	2'2"/65 cm	12-20 lb	370		
1303369	031324198814		LEGION BOAT 229 20-30 lbs (7ft6in)	7'6"/235 cm	2'2"/65 cm	20-30 lb	387		
1303370	031324198821		LEGION BOAT 224 30-50 lbs (7ft4in)	7'4"/222 cm	2'2"/65 cm	30-50 lb	396		

Legion Jig

Jigging is getting more popular than ever and very often the angler will have to travel to get to the right waters for this. PENN developed a series of travel jigging rods for the technical angler that wants the best for his favourit style of fishing. The short transport length will make sure that these rods will fit in any regular suitcase.

- EVA & Shrink tube handle
- Fuji O-Ring
- Delivered with a cordura tube with internal partition
- Fuji reel seat
- Mix of 30 and 40T carbon blank
- Including gimbal with rubber cap
- Transport length 64,5 cm



S.A.P	U.P.C	BARCODE	0 1 2	L-MINI	30 lb	327	SHOP	R.R.P
1303374	031324198869		LEGION JIG 603 30 lbs	6'/183 cm	2'2"/65 cm	30 lb	327		
1303375	031324198876		LEGION JIG 603 50 lbs	6'/183 cm	2'2"/65 cm	50 lb	348		
1303376	031324198883		LEGION JIG 603 80 lbs	6'/183 cm	2'2"/65 cm	80 lb	397		

Legion Spin

Spinning is a popular style fishing and quite often this happens abroad. Therefore PENN developed a dedicated travel series for the spinning angler. Especially for the technical angler that wants the best for his favorite style of fishing and to catch the fish of a lifetime. The short transport length will make sure that these rods will fit in any regular suitcase.

- EVA & Shrink tube handle
- Fuji reel seat
- Maximum transport length 65 cm
- Mix of 30 and 40T carbon blank
- Fuji O-ring
- Delivered with a cordura tube with internal partition



S.A.P	U.P.C	BARCODE		1.2.3...	0 1 2	L-MINI			R.R.P
1303365	031324198777		LEGION SPIN 214 10-30	4	7'/210 cm	1'11"/57 cm	10-30 g	178	
1303366	031324198784		LEGION SPIN 244 20-50	4	8'/240 cm	2'2"/65 cm	20-50 g	227	
1303367	031324198791		LEGION SPIN 275 25-85	5	9'/270 cm	2'3"/67 cm	25-85 g	285	

REGIMENT Series

One of the best saltwater series in the Penn range! With 42 different products to choose from, all sectors of sea fishing are covered with an array of rods specially designed for boat (inshore, deep sea and halibut), beach and surfcasting, jigging, spinning, plus light and heavy pilk work. Boat rods range in strength ratings from 12 to 50lb, including a Roller guide model, through to a telescopic between 8ft 3in (2.5m) and 13ft 3in (4m), to suit every kind of saltwater environment. Spin, pilk and four jig rods allow lure enthusiasts to find something perfect for their needs, and likewise shore casting fanatics who can choose from three-piece or telescopic Surfcasters in lengths up to 15ft 6in (4.80m). Whether you fish in the North of Europe or in the Mediterranean, in this range of rods you will find what you need.

If you liked Penn Overseas Pro rods, you'll love Penn Regiment rods!

Regiment Boat

- Carbon composite blank
- DBS Reel seat
- Rubber butt cap
- Shrink tube handle
- Delivered with a cloth bag and cordura tube



S.A.P	U.P.C	BARCODE		1.2.3...	0 1 2	L-MINI			R.R.P
1303356	031324198685		REGIMENT 8ft4in 12 lbs BOAT	8'4"/254 cm	5'4"/165 cm	12 lb	334		
1303357	031324198692		REGIMENT 8ft 20 lbs BOAT	8'/240 cm	5'2"/155 cm	20 lb	340		
1303358	031324198708		REGIMENT 7ft9in 30 lbs BOAT	7'9"/238 cm	4'11"/147 cm	30 lb	325		

Regiment Boat 212 & 242

- Carbon composite blank
- HG EVA Handle
- High quality corrosion resistance guides

- 2 Piece construction
- Delivered with a cloth bag and cordura tube



S.A.P	U.P.C	BARCODE	0 1 2	L-MINI 0 1 2	0	SHOP	R.R.P
1339606	031324161214		Regiment 212 +20LB Boat	7/210cm	4'2"/110cm	20lb	304		
1339607	031324161221		Regiment 212 +30LB Boat	7/210cm	4'2"/110cm	30lb	326		
1339608	031324161238		Regiment 212 +50LB Boat	7/210cm	4'2"/110cm	50lb	345		
1339618	031324161337		Regiment 242 +30lb Boat	8/240cm	4'2"/125cm	30lb	362		
1339619	031324161344		Regiment 242 +50lb Boat	8/240cm	4'2"/125cm	50lb	407		

Regiment Travel Boat

- Carbon composite blank
- HG EVA Handle
- High quality corrosion resistance guides

- 5 Piece construction
- Delivered with a cloth bag and cordura tube



S.A.P	U.P.C	BARCODE	1.2.3...	0 1 2	L-MINI 0 1 2	0	SHOP	R.R.P
1339620	031324161351		Regiment 215 +20lb Travel Boat	5	7/210cm	1'6"/46cm	20lb	440		
1339621	031324161368		Regiment 215 +30lb Travel Boat	5	7/210cm	1'6"/46cm	30lb	442		
1339622	031324161375		Regiment 215 +50lb Travel Boat	5	7/210cm	1'6"/46cm	50lb	464		

Regiment Inner Boat

- Carbon composite blank
- HDPS-KN Reel seat
- Rubber Gimbal

- EVA Handle
- Seaguide BICFG/BITCT ring
- Delivered with a cloth bag and a cordura tube



S.A.P	U.P.C	BARCODE	0 1 2	L-MINI 0 1 2	0	SHOP	R.R.P
1303338	031324198500		REGIMENT 212 30 lbs Inner Boat	7/210 cm	3'9"/110 cm	30 lb	253		
1303339	031324198517		REGIMENT 212 50 lbs Inner Boat	7/210 cm	3'9"/110 cm	50 lb	253		

Regiment Roller Boat

- Carbon composite blank
- APSSH reel seat
- Rubber gimball
- EVA handle
- Seaguide BNRHG/BNRHT guides
- Delivered with a cloth bag and a cordura tube



	Composite		EVA				1.2.3...		2		1	
S.A.P	U.P.C	BARCODE					0 1 2		0 1 2			R.R.P

Regiment T-Boat


- 24 Ton carbon blank
- HDPS-KN reel seat
- Screw butt cap
- Shrinking tube handle
- Delivered with a cloth bag and a cordura tube



	24T Carbon		Shrink Tube				1		
S.A.P	U.P.C	BARCODE					0 1 2		
1303334	031324198463		REGIMENT T-250 10/110 Boat	4	8'3"/250 cm	37"/108 cm	0.3-3.8 oz/10-110 g	179	
1303335	031324198470		REGIMENT T-300 10/110 Boat	4	10'/300 cm	3'11"/118 cm	0.3-3.8 oz/10-110 g	203	
1303336	031324198487		REGIMENT T-350 10/110 Boat	5	11'4"/350 cm	4'1"/123 cm	0.3-3.8 oz/10-110 g	268	

Regiment Multi Surf

- 30 ton carbon blank
- Fast taper
- HG EVA Handle
- Delivered in a black cordura tube



	Shrink Tube				1.2.3...		3+3		1		
S.A.P	U.P.C	BARCODE					0 1 2				R.R.P
1359920	031324163447		Regiment Multi Surf 420 120-225g/4.2-8oz			14/420 cm	4'11"/148 cm	4.2-8 oz/120-225 g	539		
1359921	031324163454		Regiment Multi Surf 450 120-225g/4.2-8oz	30T Carbon	15/450 cm	5'3"/158 cm	4.2-8 oz/120-225 g	582			

Regiment Surf

- 24 Ton carbon blank
- Delivered with a cloth bag and a cordura tube
- Shrink tube handle

- HDPS reel seat
- Rubber butt cap



24TON

S.A.P	U.P.C	BARCODE		0 1 2	L-MINI			R.R.P
1303348	031324198609		REGIMENT 423 100/250 Surf	14/420 cm	4'11"/147 cm	2.5-8.8 oz/100-250 g	548	
1303349	031324198616		REGIMENT 453 100/250 Surf	15/450 cm	5'3"/157 cm	2.5-8.8 oz/100-250 g	595	

Regiment Halibut

- 24 Tons carbon blank
- DPS-LD reel seat
- Rubber Gimball

- Red tipet for better view on bit registration
- EVA handle
- Delivered with a cloth bag and a cordura tube



24TON

S.A.P	U.P.C	BARCODE		0 1 2	L-MINI			R.R.P
1303354	031324198661		REGIMENT HALIBUT 30LB	8'/240 cm	5'11"/177 cm	30 lb	370	
1303355	031324198678		REGIMENT HALIBUT 50LB	8'/240 cm	5'11"/177 cm	50 lb	384	

Regiment Tele Surf

- 24 Ton carbon blank
- HDPS reel seat
- Screw butt cap

- Shrink tube handle
- Delivered with a cloth bag and a cordura tube



24TON

S.A.P	U.P.C	BARCODE		0 1 2	L-MINI			R.R.P
1303351	031324198630		REGIMENT T-450 130 Surf	15/450 cm	4'11"/147 cm	4.6oz/130 g	410	
1303352	031324198647		REGIMENT T-450 160 Surf	15/450 cm	4'11"/147 cm	5.6oz/160 g	417	
1303353	031324198654		REGIMENT T-450 180 Surf	15/450 cm	4'11"/147 cm	6.3oz/180g	448	

Regiment Ignobilis

- 24 Ton carbon blank
- DPS-LD reel seat
- Rubber Gimball

- EVA handle
- Delivered with a cloth bag and a cordura tube



RUBBER GIMBAL **24TON**

S.A.P	U.P.C	BARCODE		0 1 2	L-MINI			R.R.P
1303363	031324198753		REGIMENT 841 50lbs Ignobilis	8'/240 cm	5'11"/177 cm	50 lb	403	
1303364	031324198760		REGIMENT 841 80lbs Ignobilis	8'/240 cm	5'11"/177 cm	80 lb	410	

Regiment Jig

- Carbon composite blank
- APSSH reel seat
- Rubber Gimball

- EVA handle
- Delivered with a cloth bag and a cordura tube



RUBBER GIMBAL 24TON CARBON

	Composite		EVA				1+1		1				
S.A.P	U.P.C	BARCODE					0 1 2		0 1 2				
1303329	031324198418		REGIMENT 602 30lbs Jig		6'/183 cm	37'/108 cm	30 lb	340					
1303330	031324198425		REGIMENT 602 50lbs Jig		6'/183 cm	37'/108 cm	50 lb	386					
1303331	031324198432		REGIMENT 602 80lbs Jig		6'/183 cm	37'/108 cm	80 lb	442					
1303332	031324198449		REGIMENT 602 100lbs Jig		6'/183 cm	37'/108 cm	100 lb	491					

Regiment SW Spin

- 24/30 Ton carbon blank
- HDPS-KN reel seat
- PENN butt cap

- EVA handle
- Delivered with a cloth bag and a cordura tube



30TON 24TON CARBON

	24/30T Carbon		EVA				2		1				
S.A.P	U.P.C	BARCODE					0 1 2		0 1 2				
1303325	031324198371		REGIMENT 242 15/40 SW Spin		8'/240 cm	4'2"/125 cm	0.5-1.4 oz/15-40 g	180					
1303326	031324198388		REGIMENT 272 20/50 SW Spin		9'/270 cm	4'7"/140 cm	0.7-1.7 oz/20-50 g	239					
1303327	031324198395		REGIMENT 302 20/60 SW Spin		10'/300 cm	5'2"/155 cm	0.7-2 oz/20-60 g	301					

Regiment SeaSpin

- 30 Ton carbon blank
- EVA handle
- PENN butt cap

- HDPS-KN reel seat
- Delivered with a cloth bag and a cordura tube



30TON CARBON

	30T Carbon		EVA				2		1				
S.A.P	U.P.C	BARCODE					0 1 2		0 1 2				
1303328	031324198401		REGIMENT 362 50-100 SeaSpin		12'/360 cm	6'/183 cm	1.8-3.5 oz/50-100 g	259					
1307853	031324199606		REGIMENT 272 15/55 SeaSpin		9'/270 cm	4'7"/140 cm	0.5-1.8 oz/15-50 g	195					

Regiment Labrax

- 30 Ton carbon blank (7-28g & 15-50g)
- 24T & 30T carbon blank (10-35g)
- Delivered with a cloth bag and a cordura tube

- EVA handle
- PENN butt cap



30TON 24TON CARBON

	EVA			1.2.3...	2		1	30TON 24TON CARBON					
S.A.P	U.P.C	BARCODE							L-MINI				R.R.P
1339578	031324160934		Regiment Labrax 702 7-28g			30T+24T Carbon	7' / 210 cm	3'9"/111 cm	0.2-1 oz/ 7-28g	140			
1339579	031324160941		Regiment Labrax 702 10-35g			30T Carbon	7' / 210 cm	3'9"/111 cm	0.3-1.2oz/10-35g	144			
1339580	031324160958		Regiment Labrax 862 15-50g			30T Carbon	8'6" / 255 cm	6'1"/183 cm	0.5-1.7oz/15-50g	179			

Regiment Seatrout

- 30 Ton carbon blank
- PENN butt cap

- Delivered with a cloth bag and a cordura tube
- EVA Handle



30TON CARBON

	30T Carbon		EVA			1.2.3...	2		1	30TON CARBON				
S.A.P	U.P.C	BARCODE							L-MINI				R.R.P	
1339604	031324161191		Regiment Seatrout 7-28g			9/270 cm	4'7" / 140 cm	0.2-1 oz/ 7-28g		204				

Regiment Popping Spin

- 24/30 T carbon blank
- DPS-LD reel seat
- PENN butt cap

- EVA handle
- Delivered with a cloth bag and a cordura tube



30TON 24TON CARBON

	24/30T Carbon		EVA			1.2.3...	1+1		1	30TON 24TON CARBON			
S.A.P	U.P.C	BARCODE							L-MINI				R.R.P
1307854	031324199613		REGIMENT POPPING SPIN 801 50-100			8'240 cm		5'4"/162 cm	1.8-3.5 oz/50-100 g	361			
1307855	031324199620		REGIMENT POPPING SPIN 901 60-120			9'270 cm		5'8"/171 cm	2.1-4.2 oz/60-120 g	398			
1307856	031324199637		REGIMENT POPPING SPIN 901 80-160			9'270 cm		5'8"/171 cm	2.8-5.6 oz/80-160 g	410			

Regiment Light Pilk

- 24/30 Ton carbon blank
- EVA handle
- PENN butt cap
- HDPS-KN reel seat
- Delivered with a cloth bag and a cordura tube



30TON **24TON**

S.A.P	U.P.C	BARCODE	Length	Weight	L-MINI	Line Guide	Butt Cap	R.R.P
1303343	031324198555	[Barcode]	REGIMENT 272 80/120 LightPilk	9'270 cm	4'6"/138 cm	2.8-4.2 oz/80-120 g	250	
1303344	031324198562	[Barcode]	REGIMENT 302 80/120 LightPilk	10'300 cm	5'1"/152 cm	2.8-4.2 oz/80-120 g	284	

Regiment Heavy Pilk

- 24/30 Ton carbon blank
- HDPS-KN reel seat
- PENN butt cap
- EVA handle
- Delivered with a cloth bag and a cordura tube



30TON **24TON**

S.A.P	U.P.C	BARCODE	Length	Weight	L-MINI	Line Guide	Butt Cap	R.R.P
1303345	031324198579	[Barcode]	REGIMENT 272 100/160 HeavyPilk	9'270 cm	4'6"/138 cm	3.5-5.6 oz/100-160 g	273	
1303346	031324198586	[Barcode]	REGIMENT 302 100/160 HeavyPilk	10'300 cm	5'1"/152 cm	3.5-5.6 oz/100-160 g	307	
1303347	031324198593	[Barcode]	REGIMENT 332 100/160 HeavyPilk	11'330 cm	5'6"/167 cm	3.5-5.6 oz/100-160 g	374	

Regiment CF Spin

- Mix of 30 and 40T carbon blank
- Lightweight blank
- EVA handle
- Delivered with a cloth bag



30TON

S.A.P	U.P.C	BARCODE	Length	Weight	L-MINI	Line Guide	Butt Cap	R.R.P
1339636	031324161511	[Barcode]	Regiment CF 240cm 50-160g	8' / 240 cm	4'2"/125 cm	1.7-5.6 oz/50-160g	320	
1339637	031324161528	[Barcode]	Regiment CF 270cm 50-160g	9' / 270 cm	4'7"/140 cm	1.7-5.6 oz/50-160g	346	

Regiment CF XH

- Mix of 30 and 40T carbon blank
- Lightweight blank
- EVA handle
- Delivered with a cloth bag



30TON

S.A.P	U.P.C	BARCODE	Length	Weight	L-MINI	Line Guide	Butt Cap	R.R.P
1339634	031324161498	[Barcode]	Regiment CF 285cm 150-500g	9'6" / 285 cm	4'11"/147 cm	5.3-17.6 oz/150-500g	499	
1339635	031324161504	[Barcode]	Regiment CF 320cm 150-500g	10'11" / 320 cm	5'4"/162 cm	5.3-17.6 oz/150-500g	544	

Regiment CF Vertical

- Mix of 30 and 40T carbon blank
- Delivered with a cloth bag and a cordura tube

- Lightweight blank
- EVA handle



	30T+40T Carbon		EVA			1.2.3...	1+1		1	
S.A.P	U.P.C	BARCODE				1.2.3...	0 1 2	L-MINI		R.R.P

RAMPAGE II series

Featuring progressively fast taper actions with exceptional bite detection, and constructed from a special blend of 24-ton carbon, the new Rampage 11 rods are designed to be light in weight, slim in diameter, but deliver maximum casting and fishing performance. Fitted with Fuji rings and a heavy duty but lightweight reel seat, these rods are also supplied in a tough protective carry tube.

Rampage II Boat 4 pieces

NEW

- EVA Handle
- Carbon composite blank
- Fuji O guides

- Rubber push on butt cap
- Delivered in cordura tube
- Aluminum reel seat



	Composite		EVA		Fuji O		1		
S.A.P	U.P.C	BARCODE		1.2.3...	0 1 2	L-MINI		R.R.P	
1374155	031324167575		RAMPAGEII BOAT 7FT 6IN/2.28m 20/30LB	4	7'6"/228 cm	1'11"/59cm	20-30lb	Medium Heavy	345
1374154	031324167568		RAMPAGEII BOAT 7FT 8IN/2.33m 12/20LB	4	7'8"/233 cm	2'/60cm	12-20lb	Medium	321
1374156	031324167582		RAMPAGEII BOAT 7FT 4IN/2.23m 30/50LB	4	7'4"/223 cm	1'11"/58cm	30-50lb	Heavy	348

Rampage II Boat 2 pieces

NEW



1374166

	Composite		EVA		Fuji O		1		
S.A.P	U.P.C	BARCODE		1.2.3...	0 1 2	L-MINI		R.R.P	
1374165	031324167674		RAMPAGEII Boat 7FT4IN/2.23m 50lb	2	7'4"/223 cm	4'/120cm	50lb	Heavy	378
1374166	031324167681		RAMPAGEII Boat 7FT6IN/2.28m 30lb	2	7'6"/228 cm	4'1"/123cm	30lb	Medium Heavy	322

Rampage II Boat Braid

- EVA Handle
- Long Tip, short butt construction
- Carbon composite blank
- Fuji O guides

- Rubber push on butt cap
- Delivered in cordura tube
- Aluminum reel seat



S.A.P	U.P.C	BARCODE		0 1 2	L-MINI					R.R.P
1374153	031324167551		RAMPAGEII BOAT 8FT 2IN/2.48m 6/12lb	8'2"/248 cm	4'2"/125cm	6-12lb	Light	288		
1374157	031324167599		RAMPAGEII BOAT BRD 8FT 2IN/2.48m 12/20LB	8'2"/248 cm	4'2"/125cm	12-20lb	Medium	318		
1374158	031324167605		RAMPAGEII BOAT BRD 8FT2IN/2.48m 20/30LB	8'2"/248 cm	4'2"/125cm	20-30lb	Medium Heavy	347		

Rampage II Boat 300g

- EVA Handle
- Carbon composite blank
- Fuji O guides
- Including gimbail with rubber cap

- Three extra tips
- Delivered in cordura tube
- Aluminum reel seat



S.A.P	U.P.C	BARCODE		0 1 2	L-MINI					R.R.P
1374159	031324167612		RAMPAGEII BOAT 10FT /3.00m 300g	10/300 cm	7/210cm	10.50z/300g	400			

Rampage II Sensitip

- EVA Handle
- Carbon composite blank
- Fuji O guides

- Including gimbail with rubber cap
- Delivered in cordura tube
- Aluminum reel seat



S.A.P	U.P.C	BARCODE		0 1 2	L-MINI					R.R.P
1374160	031324167629		RAMPAGEII SENSITIP 10FT/3.00m 70-300g	10/300 cm	5'2"/155cm	2.5-10.50z/70-300g	Medium	350		

Rampage II Uptide

NEW



Rampage II Bass Spin

NEW

- HR 24 T Carbon Blank (only for 1374163)
- Fuji O guides
- Supplied in a cordura tube

- EVA grip
- Rubber push on butt cap



Rampage II Bass

- EVA handle
- Fuji O guides
- Rubber push on butt cap

- Delivered in cordura tube
- Aluminum reel seat
- 24Ton Carbon blank



	24T Graphite		Shrink Tube		Fuji O		1.2.3...		3		1		
S.A.P	U.P.C	BARCODE											

Rampage II Surf

- Shrink Tube handle
- Fuji O guides
- Rubber push on butt cap

- Delivered in cordura tube
- Aluminum reel seat
- 24Ton Carbon blank (only for the 1374171)



	24T Graphite		Shrink Tube		Fuji O		1.2.3...		3		1		
S.A.P	U.P.C	BARCODE											
1374171	031324167735		RPAGEIISFBEACH13FT/3.90m4-6oz113/170g	13/390 cm	4'5"/132cm	4-60z/113-170g	Medium Heavy	638					
1374172	031324167742		RPAGEIISFBEACH15FT9IN/4.80m4-6oz113/170g	15'9"/480 cm	5'2"/152cm	4-60z/113-170g	Medium Heavy	792					

Rampage II Labrax

- EVA Handle
- 30 Ton & 36 Ton Carbon blank

- Fuji O guides
- Delivered in cordura tube



	EVA		Fuji O		1.2.3...		2		1		
S.A.P	U.P.C	BARCODE									
1374167	031324167698		RAMPAGEII Labrax 7FT/2.10m 10-30g	30T Graphite	7/210 cm	2'7" /77 cm	0.35-10z/10-30g	Light	132		
1374168	031324167704		RAMPAGEII Labrax 7FT8IN/2.33m 10-35g	30T Graphite	7'8"/233 cm	4'/121cm	0.35-1.20z/10-35g	Light	146		
1374169	031324167711		RAMPAGEII Labrax 7FT2IN/2.33m 15-60g	36T Graphite	7'8"/233 cm	4'/121cm	0.5-1.20z/15-60g	Medium	147		
1374170	031324167728		RAMPAGEII Labrax 7FT2IN/2.33m 20-85g	36T Graphite	7'8"/233 cm	4'/121cm	0.7-30z/20-85g	Medium Heavy	163		

SQUADRON Series

Offering exceptional value for money, the PENN Squadron rod range feature modern sporting blank actions designed to achieve a high performance in both fishing and casting, and with rods to suit all types of saltwater fishing situations. Each rod is fitted with quality rings and components throughout

Squadron Labrax

- 24 Ton carbon blank
- Supplied in a cloth bag
- LTS guides

- Fast action
- EVA handle




	24T Carbon		EVA		LTS		1.2.3...	2		1	
S.A.P	U.P.C	BARCODE									R.R.P
1339573	031324160880		Squadron Labrax 702 10-30g	7/210 cm	3'8"/110 cm	0.3-1.1oz/10-30 g	133				
1339574	031324160897		Squadron Labrax 802 14-42g	8/240 cm	4'2"/125 cm	0.5-1.5oz/14-42 g	149				

Squadron Boat 212

- Carbon composite blank
- EVA handle
- Including rubber cap on gimbal

- 2 Equal piece construction
- LTS quality guides
- Supplied with cloth bag





	Composite		EVA		LTS		1.2.3...	2		1	
S.A.P	U.P.C	BARCODE									R.R.P
1339588	031324161030		Squadron 212 +20lbs Boat	7/210 cm	3'8"/110 cm	20lb	298				
1339589	031324161047		Squadron 212 +30lbs Boat	7/210 cm	3'8"/110 cm	30lb	328				
1339590	031324161054		Squadron 212 +50lbs Boat	7/210 cm	3'8"/110 cm	50lb	358				

Squadron Inner Boat

- Carbon composite blank
- HG EVA Handle
- Including thread wire

- 2 Equal piece construction
- Supplied in cloth bag

	Composite		EVA		1.2.3...	2		1		
S.A.P	U.P.C	BARCODE								R.R.P
1339593	031324161085		Squadron 212 +30lbs Inner Boat	7/210 cm	3'8"/110 cm	30lb	286			
1339594	031324161092		Squadron 212 +50lbs Inner Boat	7/210 cm	3'8"/110 cm	50lb	308			

Squadron Boat 242

- Carbon composite blank
- HG EVA handle
- Supplied in cloth bag

- 2 Piece construction
- LTS Quality guides
- Aluminum reelseat



	Composite		EVA		LTS		1.2.3...	2		1
--	-----------	--	-----	--	-----	--	----------	---	--	---

S.A.P	U.P.C	BARCODE	REEL	BLANK	L-MINI	LINE	WEIGHT	BOX	R.R.P
1339591	031324161061		Squadron 242 +30lbs Boat	8'/240 cm	4'2"/125 cm	30lb	366		
1339592	031324161078		Squadron 242 +50lbs Boat	8'/240 cm	4'2"/125 cm	50lb	419		

Squadron Travel Boat

- Carbon composite blank
- HG EVA Handle
- Supplied in a cloth bag

- 5 Piece construction
- Quality LTS guides



	Composite		EVA		LTS		1.2.3...	5		1
--	-----------	--	-----	--	-----	--	----------	---	--	---

S.A.P	U.P.C	BARCODE	REEL	BLANK	L-MINI	LINE	WEIGHT	BOX	R.R.P
1339612	031324161276		Squadron 215 +20lb Travel Boat	7'/210 cm	1'6"/46cm	20lb	489		
1339613	031324161283		Squadron 215 +30lb Travel Boat	7'/210 cm	1'6"/46cm	30lb	493		
1339614	031324161290		Squadron 215 +50lb Travel Boat	7'/210 cm	1'6"/46cm	50lb	513		

Squadron Jig

- Carbon composite blank
- Short handle + Long tip construction
- Aluminum reelseat

- LTS quality guides
- HG EVA Handle



	Composite		EVA		LTS		1
--	-----------	--	-----	--	-----	--	---

S.A.P	U.P.C	BARCODE	REEL	BLANK	L-MINI	LINE	WEIGHT	BOX	R.R.P
1347960	031324162372		Squadron 602 30lbs Jig	1+1	6'/180 cm	37"/108 cm	30lb	369	
1347961	031324162389		Squadron 602 50lbs Jig	1+1	6'/180 cm	37"/108 cm	50lb	428	
1347962	031324162396		Squadron 602 80lbs Jig	1+1	6'/180 cm	37"/108 cm	80lb	452	

Squadron Braid

- Carbon composite blank
- Including rubber cap on gimball
- Quality LTS guides

- HG EVA handle
- Aluminum reel seat
- Supplied in cloth bag



	Composite		EVA		LTS		1.2.3...	1+1		1
--	-----------	--	-----	--	-----	--	----------	-----	--	---

S.A.P	U.P.C	BARCODE			0 1 2	L-MINI				R.R.P
1339597	031324161122		Squadron Braid 20-30lb		8'4"/254 cm	4'4"/132 cm	20-30lb	415		

Squadron Pilk

- 24T+30T carbon blank
- HG EVA handle

- Quality LTS guides
- Supplied in cloth bag



	30T+24T Carbon		EVA		LTS		1.2.3...	2		1
--	----------------	--	-----	--	-----	--	----------	---	--	---

S.A.P	U.P.C	BARCODE			0 1 2	L-MINI				R.R.P
1339595	031324161108		Squadron 272 80/140 Pilk		9'/270 cm	4'7"/140 cm	2.8/4.9oz-80-140 g	246		
1339596	031324161115		Squadron 302 80/140 Pilk		10'/300 cm	5'2"/155 cm	2.8/4.9oz-80-140 g	279		

30TON 24TON

Squadron Surf

- 24 Ton carbon blank
- DPS reel seat
- Supplied in cloth bag

- 3 Equal piece construction
- HG EVA Handle



	24T Carbon		EVA		LTS		1.2.3...	3		1
--	------------	--	-----	--	-----	--	----------	---	--	---

S.A.P	U.P.C	BARCODE			0 1 2	L-MINI				R.R.P
1339581	031324160965		Squadron SURF 423 100-250		14'/420 cm	4'11"/148 cm	3.5-7oz/100-200 g	586		
1339582	031324160972		Squadron SURF 453 100-250		15'/450 cm	5'3"/158 cm	3.5-7oz/100-200 g	631		

24TON

Squadron Labrax

- 24 Ton carbon blank
- EVA handle
- Fast action blank

- LTS guides
- Supplied in a cloth bag



	24T Carbon		EVA		LTS		1.2.3...	2		1
--	------------	--	-----	--	-----	--	----------	---	--	---

S.A.P	U.P.C	BARCODE			0 1 2	L-MINI				R.R.P
1339626	031324161412		Squadron 242 20-50g		8'/240 cm	4'2"/125 cm	0.7-1.7oz/20-50 g	159		
1339627	031324161429		Squadron 272 20-50g		9'/270 cm	4'8"/140 cm	0.7-1.7oz/20-50 g	191		

24TON

Squadron Seajig

- 24 Ton carbon blank
- Extra grip on handle
- LTS guides

- Fast action blank
- Supplied in a cloth bag



	24T Carbon		Shrink Tube		LTS		1.2.3...	3		1	
S.A.P	U.P.C	BARCODE					0 1 2				
1339611	031324161269		Squadron Seajig 7/2.10m15-55g			7/210cm		27" /77 cm	0.5-1.9 oz /15-55 g	203	

Squadron SW Spin

- 24T + 30T carbon blank
- HG EVA handle
- Supplied in cloth bag

- LTS Quality guides
- 2 Equal piece construction



	30T+24T Carbon		EVA		LTS		1.2.3...	2		1	
S.A.P	U.P.C	BARCODE					0 1 2				
1339583	031324160989		Squadron 242 15/40 SW Spin			8/240 cm		4'2"/125 cm	0.5-1.4oz/15-40 g	185	
1339584	031324160996		Squadron 272 20/50 SW Spin			9/270 cm		4'8"/140 cm	0.7-1.7oz/20-50 g	253	
1339585	031324161009		Squadron 302 20/60 SW Spin			10/300 cm		5'2"/155 cm	0.7-2.1oz/20-60 g	282	

Squadron SW Travel Spin

- 24T + 30T carbon blank
- HG EVA Handle
- LTS Quality guides

- 4 Piece construction
- Supplied with cloth bag



	30T+24T Carbon		EVA		LTS		1.2.3...	4		1	
S.A.P	U.P.C	BARCODE					0 1 2				
1339586	031324161016		Squadron 274 20/80 SW Spin			9/270 cm		2'5"/72 cm	0.7-2.8oz/20-80 g	268	
1339587	031324161023		Squadron 304 20/80 SW Spin			10/300 cm		2'7"/79 cm	0.7-2.8oz/20-80 g	304	

Squadron Travel Spin

- 24T + 30T carbon blank
- HG EVA handle
- Supplied in cloth bag

- 5 Piece construction
- LTS Quality guides



	EVA		LTS		1.2.3...	5		1
--	-----	--	-----	--	----------	---	--	---

30TON **24TON**

S.A.P	U.P.C	BARCODE			24T Carbon	8'/240 cm	1'9"/55 cm	0.5-1.4oz/15-40 g	196		R.R.P
1339615	031324161306		Squadron 245 15/40 SW Spin		24T Carbon	8'/240 cm	1'9"/55 cm	0.5-1.4oz/15-40 g	196		
1339616	031324161313		Squadron 275 20/50 SW Spin		30T+24T Carbon	9'/270 cm	2'/60 cm	0.7-1.7oz/20-50 g	270		
1339617	031324161320		Squadron 305 20/60 SW Spin		30T+24T Carbon	10'/300 cm	2'3"/67 cm	0.7-2.1oz/20-60 g	306		

Conflict Jigging

NEW

Conflict Jigging rods have been designed for deep jigging. Fast tip action allows to play your jig and the butt section keep enough power to fight all kind of big fish. A concentrate of power in a feather weight.

- Blank Carbon 30T
- EVA handle
- Aluminium gimball


- Fuji Alconite guides
- Fuji reel seat
- Double wrap thread



	30T Carbon		EVA		Fuji		Fast Action
--	------------	--	-----	--	------	--	-------------

Fuji **30TON**

S.A.P	U.P.C	BARCODE			1.2.3...	0 1 2	L-MINI 0 1 2				R.R.P
1393353	031324170407		Conflict Jigging 5'5 163cm		1	5'5"/163 cm	5'5"/163cm	30-50lb/150-300g	328 g		
1393354	031324170414		Conflict Jigging 5'3 158cm		1	5'5"/163 cm	5'5"/163cm	50-80lb/200-400g	339 g		





ACCESSORIES

NEW



1366256

1366257

1366258

Pliers

PENN® Parallel Pliers provide toughness in an ergonomic and corrosion resistant package. A stainless steel body and jaws coated in black Nickel Titanium create the foundation for our parallel design that keep the jaws parallel along the entire length of the jaws throughout their range of movement, for greater and more even pressure throughout the jaws

- Stainless steel construction
- Black Nickel Titanium coating
- Bypass cutters for both mono and braided lines

- Knot cinching feature
- Crimping feature
- Ergonomic non slip grips

S.A.P	U.P.C	BARCODE		L-MINI				R.R.P
1366256	031324166271		6.5PP 6.5 PARALLEL PLIERS	16cm	1	2		
1366257	031324166288		8BNP 8 BULL NOSE PLIERS	20cm	1	2		
1366258	031324166295		6.5BNP 6.5 BULL NOSE PLIERS	16cm	1	2		



1366262

1366263

1366264

1366265

1366266

Fillet knives

PENN® Fillet Knives feature ergonomic non slip handles that provide excellent grip when your hands are wet. When it comes to the blade on these knives, no corners were cut. German stainless steel and black Nickel Titanium come together to create a very sharp and corrosion resistant blade.

- German stainless steel blade
- Black Nickel Titanium coating
- Ergonomic non-slip grips

S.A.P	U.P.C	BARCODE		L-MINI				R.R.P
1366262	031324166332		8SEFK 8 SERRATED EDGE FILLET KNIFE	20cm	1	2		
1366263	031324166349		8CBFK 8 CURVED/BREAKING FILLET KNIFE	20cm	1	2		
1366264	031324166356		8SFFK 8 STANDARD FLEX FILLET KNIFE	20cm	1	2		
1366265	031324166363		7SFFK 7 STANDARD FLEX FILLET KNIFE	18cm	1	2		
1366266	031324166370		6FFFK 6 FIRM FLEX FILLET KNIFE	15cm	1	2		



Wire Cutter


NEW

PENN® Wire Cutters are rigged and ergonomic. Designed from corrosion resistant stainless steel and coated in black Nickel Titanium these wire cutters provide strength, hardness, corrosion resistance, and excellent cutting performance for mono and wire.

- Stainless steel construction
- Black Nickel Titanium coating
- Bypass cutters for both mono and wire lines

- Ergonomic non slip grips

S.A.P	U.P.C	BARCODE		L-MINI				R.R.P
1366259	031324166301		7WRC 7 WIRE CUTTER	18cm				



Extreme Leader Crimp

NEW

PENN® Leader Crimps feature ergonomic handles and are constructed from corrosion resistance stainless steel. Jaws crimp sleeves ranging from 0.1mm-2.2mm. Other features include locking mechanism for easy storage and dual side cutters for heavy mono and wire.

- Stainless steel construction
- Black Nickel Titanium coating
- Bypass cutters for both mono and wire lines

- Ergonomic non slip grips

S.A.P	U.P.C	BARCODE		L-MINI				R.R.P
1366260	031324166318		10XTRLX EXTREME LEADER CRIMP	25cm	2			



Hook Extractor

NEW

PENN® Hook Extractor measures 13" from the rear grip to the tip of the stainless steel extractor which makes this tool ideal for all species, small or large.

- Ergonomic pistol grip design
- 13" design
- Stainless extracting shaft

S.A.P	U.P.C	BARCODE		L-MINI			R.R.P
1366261	031324166325		13HKEX 13 HOOK EXTRACTOR	33cm	2		



Pack Oil & Grease

NEW

PENN LUBE - Using a proprietary technology and formula that we acquired in 2011, our oil, grease, and cleaner are built to lubricate and prevent corrosion. We've tested the competition and the results are clear....our lubes perform better in saltwater than anything else on the market.

- 5Oz/140g bottle of oil and 1Oz/28g rub of grease

S.A.P	U.P.C	BARCODE					R.R.P
1238744	031324187733		ANGPKCS6/ANG PACK OIL&GREASE	Black/White	1		

Grease

NEW



1238739



1238740

PENN LUBE - Using a proprietary technology and formula that we acquired in 2011, our oil, grease, and cleaner are built to lubricate and prevent corrosion. We've tested the competition and the results are clear....our lubes perform better in saltwater than anything else on the market.

- 1238739, 1 Bowl with 100 tubes of 1/4Oz/7g grease
- 1238740, 2Oz/56g tub of grease

S.A.P	U.P.C	BARCODE					R.R.P
1238739	031324187689		FISHBOWLGE100/QTR OZ OIL 100PC	Black/White	100		
1238740	031324187696		20ZGSESD12/20Z GREASE	Black/White	12		

Oil

NEW

PENN LUBE - Using a proprietary technology and formula that we acquired in 2011, our oil, grease, and cleaner are built to lubricate and prevent corrosion. We've tested the competition and the results are clear....our lubes perform better in saltwater than anything else on the market.

- Available in 2oz/56g and 4Oz/112g dripper bottle

S.A.P	U.P.C	BARCODE					R.R.P
1238737	031324187665		20ZOILSD24/20Z OIL	Black/White	24		
1238738	031324187672		40ZOILCS6/4OZ OIL	Black/White	12		

Cleaner

NEW



1238742

1238743

PENN LUBE - Using a proprietary technology and formula that we acquired in 2011, our oil, grease, and cleaner are built to lubricate and prevent corrosion. We've tested the competition and the results are clear....our lubes perform better in saltwater than anything else on the market.

- Available in 4Oz/112g and 12Oz/336g spray bottle

S.A.P	U.P.C	BARCODE					R.R.P
1238742	031324187719		40ZCLNCS6/4OZ CLEANER	Black/White	1		
1238743	031324187726		120ZCLNCS6/12OZ CLEANER	Black/White	1		



Hoody

- Mix of 65% polyester/35% cotton
- 400 Gram/m² fabric



	1		1
--	---	--	---



S.A.P	U.P.C	BARCODE					R.R.P
1321515	031324158993		HDEPENSDBLKM HD 55 CTN 45 PLY BLK-M	Black	M		
1321516	031324159006		HDEPENSDBLKL HD 55 CTN 45 PLY BLK-L	Black	L		
1321517	031324159013		HDEPENSDBLXL HD 55 CTN 45 PLY BLK-XL	Black	XL		
1321518	031324159020		HDEPENSDBLXXL HD 55 CTN 45 PLY BLK-2X	Black	XXL		
1321539	031324159037		HDEPENSDBLXXXL HD 55 CTN 45 PLY BLK-3X	Black	XXXL		
1344563	031324162051		HDEPENSDBLUM HD 55 CTN 45 PLY BLU-M	Blue	M		
1344564	031324162068		HDEPENSDBLUL HD 55 CTN 45 PLY BLU-L	Blue	L		
1344565	031324162075		HDEPENSDBLUXL HD 55 CTN 45 PLY BLU-XL	Blue	XL		
1344566	031324162082		HDEPENSDBLUXXL HD 55 CTN 45 PLY BLU-2X	Blue	XXL		
1344567	031324162099		HDEPENSDBLUXXL HD 55 CTN 45 PLY BLU-3X	Blue	XXXL		

Technical Vented

- 100% polyester construction
- Moisture wicking
- Embroidered PENN Logo (Front/Back)

- UPF 30
- Vented Panels for enhanced breathability



	1		1
--	---	--	---



S.A.P	U.P.C	BARCODE					R.R.P
1321540	031324159044		LSVPENSDBLUM M LSTV 100 PLY BLU PEN-M	Blue	M		
1321541	031324159051		LSVPENSDBLUL M LSTV 100 PLY BLU PEN-L	Blue	L		
1321542	031324159068		LSVPENSDBLUXL M LSTV 100 PLY BLU PEN-XL	Blue	XL		
1321543	031324159075		LSVPENSDBLUXXL M LSTV 100 PLY BLU PEN2X	Blue	XXL		
1321544	031324159082		LSVPENDTANM M LSTV 100 PLY TAN PEN-M	Tan	M		
1321545	031324159099		LSVPENDTANL M LSTV 100 PLY TAN PEN-L	Tan	L		
1321546	031324159105		LSVPENDTANXL M LSTV 100 PLY TAN PEN-XL	Tan	XL		
1321547	031324159112		LSVPENDTANXXL M LSTV 100 PLY TAN PEN-2X	Tan	XXL		



Performance Shirts

- 100% Polyester
- UPF 50
- Sublimation Printing

- Moisture Wicking
- Scent Control



	1		1
--	---	--	---

S.A.P	U.P.C	BARCODE			D 1 2		R.R.P
1290043	031324196230		Short Sleeve White M	White	M		
1290044	031324196247		Short Sleeve White L	White	L		
1290045	031324196254		Short Sleeve White XL	White	XL		
1290046	031324196261		Short Sleeve White XXL	White	XXL		
1290039	031324196193		long Sleeve White M	White	M		
1290040	031324196209		Long Sleeve White L	White	L		
1290041	031324196216		Long Sleeve White XL	White	XL		
1290042	031324196223		Long Sleeve White XXL	White	XXL		
1324101	031324159716		Long Sleeve Blue M	Blue	M		
1324102	031324159723		Long Sleeve Blue L	Blue	L		
1324103	031324159730		Long Sleeve Blue XL	Blue	XL		
1324104	031324159747		Long Sleeve Blue XXL	Blue	XXL		

1324101



NEW


Inshore Casual T-Shirt

PENN® short sleeve tees feature 100% high quality cotton construction with a tagless neck for added comfort. Sizes range from S-XXXL.

- Made from 100% cotton
- PENN shield logo on front chest
- PENN 4 fish logo on back

- Tagless neck design

S.A.P	U.P.C	BARCODE					D 1 2		R.R.P
1367259	031324166608		White	Cotton			S		
1324109	031324159792		White	Cotton			M		
1324110	031324159808		White	Cotton			L		
1324111	031324159815		White	Cotton			XL		
1324112	031324159822		White	Cotton			XXL		
1324144	031324159846		White	Cotton			XXXL		





NEW

Offshore Casual T-Shirt



- Made from 100% cotton
- PENN shield logo on front chest
- PENN 4 fish logo on back

- Tagless neck design

	Cotton		1		1
--	--------	--	---	--	---

S.A.P	U.P.C	BARCODE					R.R.P
1367212	031324166530		SST04FWHTS M SST	White	S		
1324105	031324159754		SST04FWHTM M SST	White	M		
1324106	031324159761		SST04FWHTL M SST	White	L		
1324107	031324159778		SST04FWHTXL M SST	White	XL		
1324108	031324159785		SST04FWHTXXL M SST	White	XXL		
1324142	031324159839		SST04FWHTXXXL M SST	White	XXXL		
1367213	031324166547		SST04FBBLUS W SST	Blue	S		
1367214	031324166554		SST04FBBLUM W SST	Blue	M		
1367215	031324166561		SST04FBBLUL SST	Blue	L		
1367216	031324166578		SST04FBBLUXL M SST	Blue	XL		
1367217	031324166585		SST04FBBLUXXL M SST	Blue	XXL		
1367218	031324166592		SST04FBBLUXXXL M SST	Blue	XXXL		

Rainsuit



- Two piece rainsuit
- Wind- and waterproof
- Sizes from M until XXXL

- Non breathable

	Black		Nylon		1
--	-------	--	-------	--	---

S.A.P	U.P.C	BARCODE					R.R.P
1302464	031324198326		PENN Rainsuit M				
1302465	031324198333		PENN Rainsuit L				
1302466	031324198340		PENN Rainsuit XL				
1302467	031324198357		PENN Rainsuit XXL				
1302468	031324198364		PENN Rainsuit XXXL				

Flotation Suit



New and improved floatation suit, more comfortable to wear and according to the newest specifications.

Jacket: Four front pockets that can be closed with Velcro. A heavy duty adjustable waist belt. One extra waterproof pocket. Reflective tape on the sleeves. Adjustable inner and outer cuffs. Inner cuff is made out of neoprene for a watertight design. The neoprene closes around the wrist. One inner pocket. The jacket is lined with fleece and keep you warm until -5 Celsius. Including crutch to prevent you loosing the jacket over your head when you fall in the water. Removable and adjustable fleece lined hood.

Brace: Two deep pockets in the front with zippers and a flap, reflective tape and reinforced knees and butt. Lower part of the trousers contain heavy duty zippers and Velcro for a perfect fit.

For longlasting performance we recommend to rinse the suit after usage.

- ISO 12405/6 certificate
- Minimum buoyancy 50N
- 100% PVC coating and lining
- Including buoyancy foam
- Hi Vis reflective tape
- Comfortable to wear
- EN 343 approved
- Marine grade whistle
- Delivered in carrybag

S.A.P	U.P.C	BARCODE						R.R.P
1339639	031324161542		PENN Flotation suit ISO 12405/6 2pc S	1	1	S		
1339640	031324161559		PENN Flotation suit ISO 12405/6 2pc M	1	1	M		
1339641	031324161566		PENN Flotation suit ISO 12405/6 2pc L	1	1	L		
1339642	031324161573		PENN Flotation suit ISO 12405/6 2pc XL	1	1	XL		
1339643	031324161580		PENN Flotation suit ISO 12405/6 2pc XXL	1	1	XXL		
1339644	031324161597		PENN Flotation suit ISO 12405/6 2pc XXXL	1	1	XXXL		

Beanie



- 100% Acrylic
- 100% Polyester fleece lining



S.A.P	U.P.C	BARCODE				R.R.P
1321555	031324159198		BNEPENSBLK PENN PERFORMANCE BLK BEANIE		Black	

Cap & Visor

- Cotton and polyester blended hats and visors
- Moisture wicking sweat band

NEW

- Embroidered front and back design



1367285



1367286



1367290



1367292

S.A.P	U.P.C	BARCODE						R.R.P
1367285	031324166868		HATPENRED2	Red	Cotton/poly	All		
1367286	031324166875		HATPENBLU2	Blue	Cotton/poly	All		
1367290	031324166912		VSRPENRED2	Red	Cotton	All		
1367292	031324166936		VSPPENBLU2	Blue	Cotton	All		

PRODUCT INDEX

A	International V Tuna Trolling _____ 19	Regiment SeaSpin _____ 27
Affinity _____ 15	Legion Boat _____ 22	Regiment Seatrout _____ 28
Affinity 7000 Ltd Liveliner _____ 16	Legion Jig _____ 22	Regiment Surf _____ 26
Affinity 8000 Ltd _____ 16	Legion Spin _____ 23	Regiment SW Spin _____ 27
Ally Boat _____ 21	Levelwind _____ 10	Regiment T-Boat _____ 25
B	M	Regiment Tele Surf _____ 26
Battle II _____ 13	Mag2 _____ 7	Regiment Travel Boat _____ 24
Battle II Longcast _____ 13	O	S
Beanie _____ 44	Offshore Casual T-Shirt _____ 43	Sargus Combo _____ 100
Boat Combo _____ 100	Oil _____ 40	Sargus II _____ 14
C	P	Senator Trolling _____ 20
Cap & Visor _____ 44	Pack Oil & Grease _____ 40	Special Senator _____ 8
Clash _____ 11	Performance Shirts _____ 42	Spinfisher V _____ 12
Cleaner _____ 40	Pliers _____ 39	Spinfisher V LC _____ 12
Conflict _____ 11	Pursuit II _____ 15	Spinning Reel Spare Spool 1 _____ 17
Conflict Jigging _____ 38	R	Spinning Reel Spare Spool 2 _____ 18
E	Rainsuit _____ 43	Squadron Boat 212 _____ 34
Extreme Leader Crimp _____ 39	Rampage II Bass _____ 33	Squadron Boat 242 _____ 35
F	Rampage II Bass Spin _____ 32	Squadron Braid _____ 36
Fathom Combo (sweden) _____ 100	Rampage II Boat 2 pieces _____ 30	Squadron Inner Boat _____ 34
Fathom Level Wind _____ 5	Rampage II Boat 300g _____ 31	Squadron Jig _____ 35
Fathom Level Wind LH _____ 5	Rampage II Boat 4 pieces _____ 30	Squadron Labrax _____ 34
Fathom Lever Drag 2 Speed _____ 6	Rampage II Boat Braid _____ 31	Squadron Labrax _____ 36
Fathom Star Drag _____ 5	Rampage II Labrax _____ 33	Squadron Pilk _____ 36
Fierce II _____ 14	Rampage II Sensitip _____ 31	Squadron Seajig _____ 37
Fillet knives _____ 39	Rampage II Surf _____ 33	Squadron Surf _____ 36
Flotation Suit _____ 44	Rampage II Uptide _____ 32	Squadron SW Spin _____ 37
G	Regiment Boat _____ 23	Squadron Sw Travel Spin _____ 37
Grease _____ 40	Regiment Boat 212 & 242 _____ 24	Squadron Travel Boat _____ 35
H	Regiment CF Spin _____ 29	Squadron Travel Spin _____ 38
Hoody _____ 41	Regiment CF Vertical _____ 30	Squall Level Wind _____ 7
Hook Extractor _____ 40	Regiment CF XH _____ 29	Squall Lever Drag _____ 6
I	Regiment Halibut _____ 26	Squall Lever Drag 2 Speed _____ 4
Inshore Casual T-Shirt _____ 42	Regiment Heavy Pilk _____ 29	Stuart Bent Butt _____ 21
International V - VS _____ 3	Regiment Ignobilis _____ 26	Surfblaster _____ 15
International V - VSX _____ 3	Regiment Inner Boat _____ 24	T
International V - VW Single speed _____ 4	Regiment Jig _____ 27	Technical Vented _____ 41
International V IGFA Trolling _____ 19	Regiment Labrax _____ 28	TRQ Spin _____ 10
International V Stand Up _____ 20	Regiment Light Pilk _____ 29	Tuna Stick Trolling _____ 20
International V Stand Up Extreme _____ 19	Regiment Multi Surf _____ 25	W
	Regiment Popping Spin _____ 28	Warfare _____ 9
	Regiment Roller Boat _____ 25	Wire Cutter _____ 39





PENN